

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



LIBRARY  
MICHIGAN STATE  
UNIVERSITY  
MOUNTAIN VIEW  
MICHIGAN  
JUL 11 1920

# HARDY FRUITS & ORNAMENTALS



*The* COE, CONVERSE  
& EDWARDS CO.  
FORT ATKINSON · WISCONSIN

# Of Interest to the Purchaser

The first question we who live west of the Great Lakes and north of a line running west from Chicago ask when a new fruit or ornamental is introduced is "Is it hardy?" Right here is where we can be of service to you as we have been growing fruits and ornamentals in this locality for forty years and have been trying out the new varieties as they were introduced and believe we have the cream of the list. Not everything we describe is adapted to the more northern sections but enough are so that one living in those sections can have an abundance of fruit and a good line of ornamentals.

Another thing of interest to you is that the soil on which we grow our nursery stock is a sandy loam with a clay subsoil kept in a good state of fertility with clover and barnyard manure. This, with good cultivation, makes ideal conditions to grow strong healthy fibrous-rooted trees and plants.

## OUR METHOD OF GROWING AND HANDLING STOCK.

**GROWING.** All of our shade and ornamental trees, shrubs, evergreens, etc., are transplanted one or more times. The advantage of this is that the tree or plant has a better root system and is not nearly as liable to die when planted as those that have not been transplanted.

**DIGGING.** As far as possible, all of our stock is dug with large power diggers insuring a much better root than can be obtained by hand digging.

As soon as the stock is taken out of the ground, it is immediately taken to our large packing cellar (140x156) where it is graded and packed out of the wind and sun.

**THE SIZE OF OUR NURSERY.** We are using 120 acres of land of which 80 acres is planted to nursery stock. We are in the best position to take care of your wants whether they are large or small.

**FREEDOM FROM DISEASE.** Our nursery is inspected yearly by an authorized state inspector and a certificate showing freedom from injurious insect pests or disease is attached to each shipment.

## GUARANTEE AND SALES CONDITIONS.

Every care possible is exercised by us to keep our varieties true to name. If through error on our part anything should prove otherwise, we hold ourselves in readiness to replace same, but it is mutually agreed between the purchaser and ourselves that we are not at any time to be liable for a greater amount than was paid for the stock.

We also guarantee that all stock sent out shall be in good condition at time of shipment.

**SHIPPING SEASON.** Our season in the spring begins March 20th to April 1st and continues until May 15th and in the fall about October 1st until ground freezes.

**CLAIMS** for shortage or damaged stock must be made within ten days of receipt of same.

**TERMS** cash unless by special arrangements.

## Table Showing Number of Trees or Plants Required to Set an Acre

The following table shows the number of trees or plants required to fill an acre of ground when planted at the given distances apart:

30 x 30 .....	49	30 x 20 .....	72
25 x 25 .....	70	25 x 20 .....	87
20 x 20 .....	109	20 x 15 .....	135
10 x 10 .....	435	8 x 8 .....	680
8 x 6 .....	907	7 x 3 .....	2,074
5 x 3 .....	2,904	5 x 4 .....	2,178
4 x 2 .....	5,445	4 x 3½ .....	7,260
3½ x 2 .....	6,222		

If this table does not give the distances you desire to plant, divide 43,560, the number of square feet in an acre, by the number of square feet each tree or plant will occupy.









## Suggestions on Planting, Pruning and Care

All land intended for the planting of fruits and trees should be well drained, as there are very few varieties that will thrive in wet, soggy soil. If the soil is not naturally fertile, it should be enriched so that it would produce a good crop of corn or potatoes. We prefer stable manure as a fertilizer.

**Pruning.** When a tree or plant is dug, it is impossible to get all the roots and for this reason, the top should be cut back to correspond. At least one-half of the last season's growth should be taken off, and if the top of a tree is very heavy, remove part of the side branches entirely. By doing this, the root system is not overtaxed and a much better growth is the result. All broken or bruised roots should be cut off smoothly to the sound wood.

**Planting.** It is very important in setting a tree or plant that the hole is dug large enough to take in the roots without crowding, and that nothing but good mellow top soil is put on the roots and thoroughly worked in among them and pressed down solid, making the tree or plant firm in the ground. All manure and mulch should be put on the top of the ground after the planting is done.

**Watering at Time of Planting.** If the ground is very dry at time of planting, when the hole is two-thirds filled with dirt, pour in from one to two pails of water, according to size of hole. After this has soaked away, fill and make all firm, leaving an inch of the top soil loose.

**Cultivation.** Where it is possible to do so, it is best to keep the ground thoroughly cultivated between fruit trees until about August 1st in this latitude, and small fruits throughout the growing season. Where cultivation cannot be given, a mulch of manure or leaves is a good thing.

**Spraying.** It is being demonstrated more clearly each season that if we are to grow good fruit that will top the market, we must spray. Full directions are given on another page in this catalog. As to what kind of a sprayer to use, this depends entirely on how much and what you have to spray. There are a number of good sprayers made, and if desired, we can give prices and descriptions of the different kinds.

**Fall or Spring Planting.** As to which is the best time, with us it is simply a matter of soil, location and stock to be planted. If the soil is heavy clay, low and wet, we would say to fall planting, emphatically no. If the soil is well drained and stock planted is properly mulched and cared for, such as Maples, Lindens, Elms, Poplars, and Hardy Shrubbery, Peonies, Phlox, Currants, Grapes, Red Raspberries and Blackberries may be safely planted in the fall. Other stock is better planted in the spring in this climate.

### LANDSCAPE WORK


We can give you complete service in this department. By this we mean we will advise as to design, make you a plan of your place, furnish you the stock to plant, and superintend the planting if desired. Very few firms in the Northwest can do this. All of this planting does not have to be done in one season, but by working to a definite plan, when the planting is completed, all will harmonize and give the desired effect.

The men employed in this department have had not only the training given in our best schools, but also the practical experience of years of actual work planning and planting real places. This is no experiment with us, as we know what we are using and what it will do for you.





Senator Dunlap



Perfect Blossom

## STRAWBERRIES



Imperfect Blossom

Our plants are all dug from new beds set for this purpose. The entire row is taken up, all old plants and weak new ones discarded, so the customer gets the best there is.

We use every precaution to keep varieties pure. All our plants are freshly dug at time of shipment and are carefully handled and packed so as to reach the customer

in the best possible manner. We never use cold storage strawberry plants. In the latitude of northern Illinois and Wisconsin, spring is the best season to plant strawberries. They will succeed on any good garden soil. Set the plants 18 to 24 inches apart in the row, rows 3½ to 4 feet apart. Train the runners lengthwise of the row, allow the new sets to root 5 or 6 inches apart; they ought not to be closer than that. As soon as the ground freezes cover with hay or straw enough to just hide the plants. In the spring remove enough of the mulch so that the plants can come up readily, leaving balance to retain moisture and keep fruit clean. Our soil is especially well adapted to the growing of strong, healthy plants.


Those marked (Per.) are perfect in blossom, and will bear alone or fertilize those marked (Imp.), which will not bear alone, but must have some of the perfect-blossom sorts planted with them. We usually plant one-third or one-half perfect.

**Aroma.** (Per.) Plant shows no weakness of any kind. Fruit very large, roundish conical, rarely misshapen, glossy red, of excellent quality and produced in abundance. One of the most profitable late varieties that we grow. It produces twice as much as Gandy, and fine berries.

**Beder Wood.** (Per.) This is a very desirable early berry for either home use or near market. It is in every way healthy and vigorous, and an enormous yielder. Good variety to plant with Warfield, Haverland or Bubach. The berry is of large size, roundish, of regular form, bright scarlet and of good quality. It continues in bearing a long time. One of the best.


**Bubach.** (Imp.) One of the old standard sorts, that does well on a great variety of soils. Fruit very large and of uniform size, good quality and color, and produced in great abundance. The plant is large, vigorous, healthy, and a fine grower.

**Dr. Burrell.** The originator of this variety, Dr. J. R. Reasoner of Illinois, has been working ever since he produced the Senator Dunlap to bring out a variety that would be better than this standard variety. He claims to have found this in the Dr. Burrell. This is a cross of the Crescent and Senator Dunlap, and is claimed to combine the vigor of growth, healthy foliage, and free plant-making qualities of both parents. The fruit is said to be larger, produced in greater abundance, a very little lighter in color and of better quality than the Dunlap. We who have been growing the Dunlap for years know that if this variety can make good these claims, it is the berry we want. We will fruit it in the summer of 1917 for the first time.



Warfield.





### Dr. Burrell Strawberry

From what we can learn of this variety, it promises to be the best thing recently introduced in the strawberry line.

The fruit is very large and is always produced in great abundance. See page 2 for further description.

Dr. Burrell.

### The Fall or Everbearers

Notwithstanding our extremely dry July and August, we are now, September 20th, picking a nice lot of these berries. You can not go wrong on either the Americus, Progressive, or Superb. See page 5 for further description.



Everbearing  
Strawberries.



### Perfection Currant

It takes years to fully determine the value of a new variety of fruit. The Perfection in a thorough test in competition with sixty other varieties at the New York Agricultural Experiment Station at Geneva won first place on general merit.

This new currant was originated by C. G. Hooker, of New York State, by crossing the Fay's Prolific with the White Grape Currant. It has the large size of the Fay, with the extra good quality and great productiveness of the White Grape. We believe you will make no mistake in planting this currant. See page 8 for further description.

### St. Regis Fallbearing Raspberry

Five years ago when this variety was introduced, we were somewhat skeptical regarding some of the claims made for it. However, the longer we grow it and the more we see of it, the better we like it. Among the sucker varieties, it easily takes the first place. A nice dish of Red Raspberries in September or October is a fine companion for the Fall Bearing strawberries. See page 7 for further description.



Perfection Currants.



St. Regis  
Everbearing  
Red Raspberries.

✓ **Brandywine.** (Per.) Plant a luxuriant grower, healthy, hardy and productive; fruit good shape, large size, good quality, sweet and tender, firm, and, what makes it more valuable to the grower, it is late, thus bringing higher prices in the market.

✓ **Finch.** (Per.) We still hold this as our best big berry. The plant is large, healthy and vigorous. The fruit is of good quality and firm for so large a berry.

✓ **Gandy.** (Per.) A good grower, has a perfect blossom, is fairly productive and late in commencing to ripen. The fruit is large, bright scarlet in color, of good flavor.

✓ **Haverland.** (Imp.) For large, healthy plants, vigorous growth and great productiveness, this is not surpassed. The fruit is large, long, conical, with a neck, never of bad form, bright red, ripens all over, of fair quality. It succeeds everywhere and has all the good points of Crescent, with much larger size. Too soft for long shipment.

✓ **Paul Jones.** (Imp.) This is a new variety that is very promising. The plant is a strong, healthy grower, sending out an abundance of runners and is productive. The fruit is long conical in shape, bright red and of good quality.

✓ **Senator Dunlap.** (Per.) We firmly believe this to be the greatest all-around berry now on the market. In the first place, the plant is perfect, not large, but tough, bright, a rampant runner, and ready to grow under any circumstances. It is wonderfully productive, and every berry is generally brought to perfection. The fruit is beautiful, bright red and glossy, as regular as if cast in a mold, never known to be misshapen and of delicious quality. Large, but not the largest, firm, a good shipper and splendid keeper, and, when canned, one of the richest varieties we ever saw. It begins to ripen early, and continues a long time in bearing. Needs plenty of room; a splendid sort to plant with Warfield.

✓ **Warfield.** (Imp.) One of the most popular Strawberries today. It is a very vigorous grower, foliage tall, which protects blossoms from late spring frosts. It is one of the best of shippers, and its rich color, large size, fine shape and good flavor make it an almost perfect market berry; unequaled for canning purposes, and, taken all together, we consider it one of the most valuable varieties for the general grower that we have thoroughly tested. Dunlap is a good fertilizer for this variety. ✓ Plant rather small.

#### We Have the Following Sorts on Trial:

✓ **Gibson.** (Per.) Claimed to rival the Dunlap in every respect and to bear later. If it can make good on these claims it is a valuable sort.

✓ **Manhattan** (Per.) Large, somewhat irregular in shape. Plant is a strong grower.

✓ **Helen Davis.** (Per.) This variety has very strong recommendations from reliable sources. ✓ Some of the claims made for it are extra fine quality; very productive, early, large sized, color dark red. The plant is hardy and a strong grower.



Paul Jones.

### FALL-BEARING STRAWBERRIES

That these are no longer an experiment is beyond question. Much credit should be given Mr. Rockhill of Iowa and Mr. Cooper of New York for this. Through their untiring efforts, a few sorts have been developed that are worthy of the name, and do produce good crops of berries in the autumn that compare favorably with the June bearing varieties, both in size and quality. Do not be misled into thinking that these "Fall Bearers" fruit only in the fall. They produce a good crop in June, and after a few weeks rest throw up new blossom stalks and continue bearing fruit until freezing up time. Of course if the first crop of blossoms is taken off, the fall crops will be heavier.

We are not yet ready to recommend them to the commercial grower, as a big paying market proposition, but we do think every lover of Strawberries should plant a good bed of them in connection with the regular sorts, as strawberry shortcake through the autumn season is something one cannot pass lightly by.

Continual bearing calls for continual feeding. The better you fertilize and care for the plants, the better the results. Early spring set plants will give a very good showing of fruit in September and October.

✓ **Americus.** (Per.) Probably the most widely planted of any variety of this class. Plant is a good grower, good healthy foliage, which lays rather close to the ground. Berry of medium size and good quality.

✓ **Progressive.** (Per.) One of Mr. Rockhill's productions. A good plant maker, strong, with very healthy foliage. At the present time, this is our favorite. Fruit of good size, regular form, not quite as good as either Americus or Superb.

✓ **Superb.** Originated by Mr. Cooper of New York. Berry is dark red, of good form and fine quality. Plant is a strong, vigorous grower. We have had this but one season and think very highly of it.





Columbian Raspberries

## RASPBERRIES

Black Raspberries and those that root from the tip should be planted in the spring. Red or sucker varieties can be planted either fall or spring. Plant the cap varieties 7 feet by about 3 feet, and keep thoroughly cultivated, but do not cultivate deep. Pinch off the tip of the canes when about 1 foot high the first season, and after the first year when from 2 to 2½ feet high. This makes the canes stocky, and does away with the necessity of tying up the canes. These side branches should be cut back in the spring to 15 to 18 inches in length. The old canes should be cut out as soon as through bearing, and burned.

The sucker varieties can be planted 6 feet by about 2 feet and allowed to form hedgerows, or they can be planted 4 by 5 feet and kept in hills, not allowing more than five or six canes to the hill. The latter is probably the better plan. North of latitude 43, we advise winter protection of Raspberries and Blackberries.

### CAP VARIETIES

**Conrath.** We still consider this one of our best black caps. Cane a good grower and with us harder than Kansas. Fruit large, coal-black, firm and good quality. Season medium.

**Cumberland.** The largest black Raspberry known. It has been well tested and is giving the best of satisfaction. The quality is of the best, and, in spite of its great size, is very firm; ripens mid-season. Canes are very large and strong and able to carry their load of fruit.

**Columbian.** The strongest-growing variety on our grounds. Fruit large, dark purple and of good quality; excellent for canning. Hardy, very productive, and taken all together, one of the most desirable sorts we have.

**Kansas.** This is a general favorite with all who have grown it. Ripens early. Berries nearly or quite as large as the Gregg; jet black, firm, handsome and of best quality.

**Gregg.** Fruit very large, of good quality; meaty and firm, with heavy bloom. Canes of strong growth. Needs rich soil and plenty of fertilizer to do well. Very late, extending the season well into Blackberry time. Not quite so hardy as we could wish.

**Munger.** For this latitude we consider this a more valuable variety than the Gregg. The bush is a strong, upright grower, and with us is perfectly hardy. The fruit is larger than the Gregg and ripens even later than that variety. We consider it the best late variety we have tested.

**Plum Farmer.** We have fruited this variety now for several years, and are well pleased with it. It ripens the entire crop in a few days, and is early enough to get the good prices. The bush, so far, has been perfectly hardy here, is a good grower and productive. The berry is of good size, and of a quality that makes it a good market berry.



**Older.** One of the largest varieties and holds its size to the end of the season. Bush is a good grower and perfectly hardy here. One of the very best for home use, but rather soft for shipping.

**Royal Purple.** This variety roots from the tip the same as the Columbian, canes are smooth and of a rich red color. The berry is said to be large, purple in color and firm enough to ship in quart boxes. It is of good quality. Claimed to be the hardiest of the purple berries.

### Sucker Raspberries

**Cuthbert (Queen of the Market).** A strong grower and very productive; very large, bright red, fruit firm, of very fine quality. Season medium to very late; a good one for market or home use. It is doing well everywhere. Needs winter protection.

**Eaton.** A strong, sturdy growing bush, with many laterals giving a large fruiting surface. Fruit large, deep rich red, fine flavor.

**Golden Queen.** May be described as a yellow Cuthbert.

**King.** This is claimed by many to be the best early red raspberry yet introduced. Cane is a strong grower and hardy. Berry is large, good color, firm, bright red, and a good market sort. Our experience with this sort bears out these claims.

**Marlboro.** Fruit of very large size, of a bright scarlet color, excellent flavor, firm, a good shipper. Canes very large and strong; foliage dark green, perfectly hardy, exceedingly productive, and commences to ripen early. A profitable market variety.



Plum Farmer Raspberry

**Miller's Red.** This comparatively new variety is very early; canes very hardy, medium size and wonderfully productive of large, bright red berries that hold their size to the end of the season. Very firm, and hence valuable for distant markets.

**Ohta.** Another of Prof. Hansen's productions that we are testing out. Claimed to be the best of 15,000 seedlings.

**Sunbeam.** One of Prof. N. E. Hansen of South Dakota's, productions. We are somewhat disappointed in this variety. The plant is a strong, healthy grower and very hardy. The fruit is of fair size, good color, and only fair quality. We advise planting only where extreme hardiness is required.

**St. Regis (Red).** We have now fruited this variety two seasons, and are more than pleased with it. The cane is perfectly hardy here, is a strong, healthy grower, and produces a heavy crop in July. In September and October the tops of the new canes throw out blossom stems and produce a nice lot of fruit. This gives it the name of Fall or Everbearing Raspberry. The fruit is of good size, bright red, firm, and of good quality. A favorite as a shipper. The canes stand the severest cold uninjured, and the foliage never suffers from sunburn or scald. The cane growth is not impaired by the heat or drouth of summer. Taken all together, we believe it to be the best red raspberry we now have.



King Raspberry.

Address all correspondence to The Coe, Converse & Edwards Co., Fort Atkinson, Wis. You will be sure to reach headquarters for Wisconsin grown nursery stock.



Eldorado Blackberry

## BLACKBERRIES

This valuable fruit begins to ripen before raspberries are gone and continues until grapes are ripe, thus keeping up a constant supply of fruit for the table and market. Plant 8 by 3 feet. Cultivate shallow, but not later than August 1, so as to allow the canes to become thoroughly ripened before winter. Winter protection can easily be given by bending down and covering with earth or marsh hay.

Any moderately rich soil will answer for the cultivation of blackberries, and an annual dressing of manure or some commercial fertilizer will produce an excellent effect on the succeeding crop of fruit.

**Ancient Briton.** A popular variety in many sections. Sells well in market and is very profitable; berries large and sweet. Does better on sandy land than on heavy soil. Requires winter protection, but is well worth the little labor this costs.

**Eldorado.** Perhaps the most valuable blackberry for our northern climate. The berries are large, jet black, ripen well together and are borne in large clusters; they are sweet and delicious, have no hard core, and keep well after picking.

**Snyder.** This is a well-known popular variety; hardy and productive. It is quite early and is a valuable market variety.

✓ **Lucretia Dewberry.** A variety of the low bush or running blackberry, ripening before black raspberries are gone. Fruit large, jet-black and very showy, often measuring from 1 to 1½ inches in length. Plant four by six feet, and cut the new canes back, not allowing them to get more than four or five feet long. Very easy to cover on account of its trailing habit.

## CURRENTS

To get the best results, plant in a deep, rich soil, and give good cultivation and plenty of well-rotted manure. Keep the bush well thinned out in the center, and do not have more than four or five bearing canes at a time. The best method of renewing is, after the bush is four or five years old, to remove one of the old canes each year and leave one of the strongest new sprouts. Plant either in the fall or spring 5 by 6 feet. For the currant worm use fresh white hellebore, one ounce to two gallons of water, or dust bush with it when dew is on.

✓ **Cherry.** Large; bunches short; plant strong, vigorous grower and productive.

✓ **Fay's Prolific.** Not a strong grower but is very prolific. Large; less acid than others.

✓ **Perfection.** A variety that originated in New York, and has received many medals and prizes where it has been on exhibition at Horticultural Societies and exhibitions. It is a beautiful bright red in color. Size equal to Fay, the cluster averaging longer, with good,



Wilder Currant.





Downing Gooseberry

long stem, making it easy to pick. Equal in productiveness to any of the large sorts. The quality is rich, mild, sub-acid, with few seeds. One of the best varieties for table use. The bushes make good growth and have an abundance of large, healthy foliage.

✓ **Pomona.** A fine market sort of good size, color and quality; will hang on the bushes for some time after ripening, and market well. Bush is an open, vigorous grower and very productive.

✓ **Red Cross.** A good vigorous growing bush. Berry is large, clusters of good size, and quality is A-1.

✓ **Red Dutch.** An old standard sort. Berry medium size, good quality; plant a strong, upright grower; productive.

✓ **Victoria.** An erect-growing, heavy-bearing variety. Cluster long, bright red, of good size, late; a valuable sort.

✓ **White Grape.** The best table variety, large and luscious. A good grower and productive.

✓ **Wilder.** This is proving to be one of the most profitable market sorts. The bush is a good grower; the fruit is of good color and large enough to bring the best price on the market.

## Black Currants

**Black Champion.** Large, excellent.

**Lee's Prolific.** Bush a strong grower; berry good size and productive.

**Crandall.** Berry very large; bush strong, upright grower and very ornamental when in blossom, as well as productive of nice fruit.

## GOOSEBERRIES

Require the same care and soil as Currants, except that we do not recommend fall planting in the North.

**Downing.** This we consider the most valuable Gooseberry grown, always giving good crops of large, handsome, pale green berries of fine quality. Bush a vigorous grower, free from mildew and enormously productive.

**Industry.** Berries of the largest size, 1 to 1½ inches in diameter and of excellent flavor, both pleasant and rich. Color when fully ripe, dark red. Does well on heavy clay soils, but is a failure on light soils.

**Josselyn (Red Jacket).** An American seedling that has been widely planted. Fruit is large and smooth. Bush is hardy, clean, healthy and productive.



White Grape Currants



## GRAPES

The Grape-vine should be planted in good, rich, well-drained soil, 6 to 8 feet apart, and from 4 to 6 inches deep; dirt pressed firmly around the roots. Dig the hole large enough to take in the roots without crossing each other. Trimming should be done after the leaves drop. The first year allow only one cane to grow, cutting back in the fall to within three or four buds of the ground. The second season train up two canes, cutting back in the fall to 2 or 3 feet in length if the vine has made good growth. After this there are many methods of training. We prefer tying to stakes and not allowing the vine to get over 6 feet in height. In towns where there is but little room, they can be successfully trained on the side of buildings and trellises. Cover before the ground freezes with earth or hay.

**Agawam** (Rogers' No. 15). Red or maroon in color. Bunch usually loose, shouldered; berries large; skin thick; flesh pulpy, meaty, juicy, of a rich, peculiar, aromatic flavor; ripens about with Concord; a good keeper. Vine a strong, rank grower, hardy and productive. Should be pruned, leaving long canes. One of the best of Rogers' Hybrids.

**Beta.** Is especially valuable where extreme hardness is desired. Said to stand the winters in Dakota without protection. Fruit is of medium size and fair quality.

**Brighton.** (Red.) Bunch medium to large, long, compact, shouldered. Berries of medium size, thin skin, flesh tender and of best quality. Vine hardy, vigorous and productive; ripens with Concord. Should be planted near other varieties, as it does not always fertilize when alone.

**Concord.** (Black.) The most popular Grape in America. Bunch and berry large and of good quality. Vine vigorous, healthy, hardy and productive.

**Clinton.** Fruit of this variety is of rather poor quality. Is good for wine and preserves. The vine is a strong, vigorous grower, very hardy and is the best variety we know of for covering arbors, etc., as it does not need winter protection.

**Campbell's Early.** (Black; new.) Vine is a strong, vigorous grower, with thick, heavy, healthy foliage; bunch large, shouldered; berry large, nearly round, covered with a blue bloom; adheres to the stem; skin thick, does not crack, quality about same as Concord. Ripens about with Moore's Early.

**Delaware.** (Red.) Still holds its own as one of the finest Grapes. Bunches small, com-

compact, shouldered; berries rather small, round, thin skin, light red, flesh very juicy without any hard pulp, with an exceedingly sweet, spicy and delicious flavor.

**Lindley.** (Red; Rogers' No. 9.) Ripens with Concord. Vine a vigorous, healthy grower; berries medium size, of fine quality and a good keeper; should be pruned long.

**Moore's Diamond.** (White.) Bunch and berry large, excellent quality. Ripens with Delaware. Vine strong, healthy grower and productive.

**Moore's Early.** (Black.) One of the very best early black Grapes. Clusters medium size; berry very large. Ripens nearly two weeks before the Concord, and is about the same quality. Vine hardy. Should have a place in every fruit garden.

**Niagara.** Strong grower; bunches very large and compact, sometimes shouldered; berries as large or larger than the Concord, mostly round, light greenish white, semi-transparent, slightly amber in the sun. Skin thin but tough and does not crack, quality good, has a flavor and aroma peculiar to itself; much liked by most people.

**Salem.** (Red; Rogers' No. 53.) Vine a strong, healthy, vigorous grower; bunch large and compact; berry large, round, coppery red; skin thin; flesh tender, juicy, free from hard pulp, of very good quality. Ripens with Concord.

**Wilder.** (Black; Rogers' No. 4.) Bunch and berry large, good keeper, quality excellent, season about same as Concord.

**Worden.** A splendid Grape of the Concord type, but earlier; larger in bunch and berry and of decidedly better quality; vine as hardy as the old stand-by and in every way as healthy.

For the benefit of our customers we publish formulas of insecticides and fungicides and have compiled data as to the proper time for spraying. See page 60.





McIntosh Apples.

## TREE FRUITS

In this latitude, plant in the spring. Cut off the bruised end of the roots, making a slanting cut on the under side. Cut back the top to correspond with the roots. Trees should be planted 2 to 3 inches deeper than they stood in the nursery. When planting out young trees, set them in a new place, where it is possible to do so. When they must be planted in an orchard where an old tree has died out, dig a large hole, fill it with fresh dirt and give the young tree a chance. Supply what is lacking in the soil with a good mulch of barnyard manure and wood ashes. It is best to cultivate young trees for several years after planting. Where this cannot be done, they should be well mulched so that no grass can grow within 8 to 10 feet of the tree. Where the ground is very rich and trees do not begin to bear as soon as they ought, it is a good plan to seed down to clover for two or three years. This will check the growth and have a tendency to produce fruit buds. Do not, however, let the orchard stay seeded down unless the grass around the trees as far out as the limbs extend is kept down by mulch. As a winter protection all trees should have a mulch of straw or manure in the fall. This prevents evaporation and root killing. When trimming to produce wood, winter is the best time. To produce fruit, June.

The body of a young tree should be protected as soon as planted, by either a veneer, lath or straw protector. We are very much in favor of straw, as every farmer has it, it is easily put on, and there is no danger of galling the tree. Take a handful of straw (rye if handy, as it is longer), set it up around the tree, tie at top, center and bottom, and your tree is safe from sun scald, mice and rabbits. Where lath is used, care should be taken so that the trees will not be galled by the tops of the lath.

## APPLES

The first fruit, both in importance and general culture, is the Apple. Its period, unlike that of other fruits, extends nearly or quite through the year. By planting judicious selections of summer, fall and winter sorts, a constant succession can be had of this indispensable fruit for family use.

In the past three or four years there has been a great revival in commercial orchard planting. This has not been overdone, and is not likely to be.

Wisconsin has been proven beyond a question to have quite an extensive area that is especially adapted to the growing of this fruit in a commercial way, the necessary requirements for success being good, well-drained soil, a proper selection of varieties for that locality, and the care after planting, which means cultivation, spraying and pruning.

One of the most common errors made by those planting for market is the use of too many varieties. If ten or twenty men in one section, are growing apples and have a few good kinds, they are in a position to form an association, ship in car lots, and in that way obtain best prices.



Northwestern Greening.

## SUMMER APPLES

**Duchess of Oldenburg.** A large, beautiful Apple, roundish, streaked red and yellow. Tender, juicy and pleasant. Tree a vigorous, fine grower and abundant bearer; very hardy. September.

**Golden Sweet.** Large, yellow; very fair; fine, sweet. Tree a fine grower and productive. August.

**Red Astrachan.** The old-time favorite. Perhaps one of the most popular early apples ever grown. Large, roundish, nearly covered with deep crimson, overspread with thick bloom. Juicy, rich acid, beautiful; a good bearer. Highly esteemed on account of its fine appearance, earliness, and hardness. August.

**Liveland (Russian).** Medium to large apple; clear waxen white, striped, shaded and marbled with light crimson, flesh white, very tender, pleasant, sub-acid, almost sweet. Fine. As early as Yellow Transparent. August.

**Sops of Wine.** Tree a fair grower and productive; fruit is medium size, oblong, dark crimson; flesh juicy, sub-acid; stained with red. August.

**Tetofsky.** Striped red and yellow; medium size; tree slow, stocky grower, very hardy. One of the earliest apples to ripen in the Northern states. July and August.

**Yellow Transparent.** Of Russian origin and now largely planted, and succeeds everywhere. Very early and productive, of medium size, pale yellow, good quality. Tree bears very young. July and August.

## FALL AND EARLY WINTER APPLES

**Dudley.** This is a seedling of the Duchess of Oldenburg, and is apparently as hardy and productive as that variety, but its season is about two months later. A very valuable variety.

**Fameuse, or Snow.** Medium size, roundish, very handsome crimson; flesh snowy white, tender, juicy, highly flavored and delicious. Tree vigorous, productive and hardy. October to January.

**Fall Orange.** Fruit large to very large, deep yellow and covered with small black dots; excellent quality. Tree a free grower and fairly productive.

**Longfield.** A Russian variety and one of the best. Tree a strong grower and an early, abundant and annual bearer. Flesh white, fine, tender and juicy, with a rich, sprightly, subacid flavor. November to February. Valuable for cold climates.

**McMahon.** Large, round; almost white, with faint blush; a very beautiful Apple; flesh white, tender, tart, not very firm. A good looking fruit. Tree vigorous and hardy as crab; bears young and abundantly. October to February.

**McIntosh.** Medium size, dark red, good quality, juicy, subacid. Tree a vigorous grower and hardy. November to February.

**Patten's Greening.** Originated and introduced from northern Iowa, by Mr. Charles Patten. It is a large green Apple of good quality. The tree is very vigorous, hardy and productive and will "get there" with a crop of fruit if any kind can. October to January.

**Plumb Cider.** Fruit medium to large, oblong, striped, good quality. Tree is vigorous and wonderfully productive. October to January.

**Utter.** Large, yellow and red; fine quality. September and October.



Dudley Apples





Windsor Chief.

### Windsor Chief Apple


We believe this variety as it becomes better known will be to Wisconsin and neighboring states what the Baldwin is to New York State and the East. The tree is a good and regular bearer. The quality is A-1 and it is a splendid keeper if kept away from the children.

### Montmorency Cherry

We believe the house wife will agree with us that no fruit just takes the place of the cherry for canning and preserving. In the cherry growing district of Door County, Wisconsin, where hundreds of acres of cherries are grown, the Montmorency is a favorite.



Montmorency Cherries.



Skuya Plum.

### Skuya Plum

This is one of the quartet of Hansen's Hybrids that we are recommending our friends in the north to plant. Summed up in a few words, their main points are extreme hardiness, productiveness, early bearing (often producing fruit the next year after planting) early ripening, (July or August) fine for preserving and canning, and fair quality for eating out of hand.

Fulton, Illinois.

Coe, Converse & Edwards Co.,  
Fort Atkinson, Wis.

Gentlemen:—I wish you could see the cherry, apple and plum trees that I bought from you some years ago. My 200 Downing gooseberries from you yielded me over 40 bushels last year. They promise better this year.

Yours truly,

### Kieffer Pear

We believe in criticizing as well as commending. For the Kieffer is not of the best, yet when picked and allowed of good quality. Like the Ben Davis Apple, it is way ahead of no fruit. The tree is a strong sturdy grower and very productive and where any pear will grow.

eating out of hand,  
to fully ripen, it is  
ahead of no fruit.  
will succeed



Kieffer Pears.



✓ **Wealthy.** Originated in Minnesota. Fruit large, roundish; skin smooth, mostly covered with dark red; flesh white, juicy, good. Tree very hardy, vigorous and productive. Very profitable to plant. September to January.

✓ **Wolf River.** Originated in Wisconsin. One of the largest Apples grown. Skin greenish yellow shaded with crimson; flesh rather coarse, white, juicy, pleasant, sub-acid flavor. Tree a strong grower, hardy and productive. September to December.

## WINTER APPLES

✓ **Ben Davis.** Tree vigorous and productive; not so hardy as we would desire. Fruit large, handsome, not of first quality.

✓ **Delicious.** This much-talked-of and advertised apple is doing well in some sections of this state. It, however, needs further trial before unqualified endorsement can be given. We advise planting in a small way only as yet. The tree is a good grower, and fruit is very showy and of fair quality.

✓ **Golden Russet.** Medium size, dull russet, with a tinge of red on sunny side; flesh greenish, crisp, juicy. Tree a fair grower, with light colored speckled shoots, by which it is easily known; bears well. November to April.

✓ **Grimes Golden.** Fair size, yellow, of highest quality. Tree a vigorous grower and productive. We do not advise general planting except in very favorable locations west and north of Chicago. A splendid market variety where hardy. January to April.

✓ **Jonathan.** Medium size, red; extra quality; tender, juicy and rich. Tree a slender grower; very productive. One of the best for table or market, but like Grimes Golden, should not be planted in the extreme north. November to March.

✓ **Northwestern Greening.** Originated in Northern Wisconsin. Size large; shape nearly round, very regular; surface smooth, often green, but yellow when fully ripe; flesh yellow, rather coarse, juicy, subacid; quality good. January to May.


✓ **Pearl Sweet.** A new sweet winter Apple that originated near Edgerton, about 15 miles from here. Medium in size; bright red; very sweet, juicy, and one that will keep until April in an ordinary cellar. Tree fine grower and very hardy and productive.

✓ **Paradise Winter Sweet.** Medium to large, yellow, excellent quality. Tree good grower, hardy and heavy bearer. December to March.

✓ **Pewaukee.** Raised from seed of Duchess of Oldenburg. Large; bright yellow striped and splashed with dark red; flesh white, tender, juicy, subacid. Tree vigorous, hardy, productive. January to March.

✓ **Scott's Winter.** We believe this to be a good tree for Wisconsin planters. The tree is extremely hardy and healthy and the apple is of fair size, good color (being red-striped), good quality and a splendid keeper, and keeps fresh and crisp. February to May.

✓ **Tolman's Sweet.** Medium size, pale whitish yellow, slightly tinged with red; flesh firm, rich and very sweet. Tree a fine grower, hardy and productive. November to April.



Wealthy Apple.

✓ **Windsor Chief.** This is another Wisconsin apple of fine quality and a late keeper. Large, red. Somewhat resembles the Baldwin. Season, December to April.

✓ **Forest Winter.** This is a variety that has been grown in this state for some time in a local way. It is worthy of wider dissemination. The fruit is of good size, greenish yellow, nearly covered with red; is of excellent quality and a good keeper. Tree is hardy.

## CRAB APPLES

✓ **Hyslop.** A hardy, good-keeping variety. Fruit produced in clusters. Good for cooking and other purposes. Dark red, heavy bloom.

✓ **Lyman's Prolific.** Large, red-striped. Fine for cooking; very hardy.

✓ **Martha.** Beautiful glossy yellow, shaded bright red; good size, mild, clear, tart. October.

✓ **Sweet Russet.** Large, round and conical; green russet, with a faint blush. Very rich, sweet; one of the best for eating and cooking. August and September.

✓ **Transcendent.** A beautiful variety of Siberian Crab. Red and yellow. August. Tree bad blighter.

✓ **Whitney No. 20.** Large, averaging 1½ to 2 inches in diameter. Skin smooth, glossy, green, striped, splashed with carmine; flesh firm, juicy, and flavor pleasant; ripens the latter part of August. Tree a great bearer and very hardy. A vigorous, handsome grower with dark green, glossy foliage.

## PEACHES

We cannot recommend planting Peaches in Wisconsin. However, if one wishes to plant them, we can furnish the following.

✓ **Champion.** A large, early variety, creamy white, with red cheek; sweet, rich and juicy. Productive. August.

✓ **Crawford's Early.** A magnificent, large, yellow Peach of good quality. Early in September.

## CHERRIES

One of the most profitable of the tree fruits. Do best on a dry soil or one that is well drained.

**Early Richmond.** Medium size, dark red, melting, juicy; sprightly, rich acid flavor. The stone adheres to the stem with remarkable tenacity. This is one of the most valuable and popular of the acid Cherries, and is unsurpassed for cooking purposes. Tree a slender grower with a roundish, spreading head, and is exceedingly productive. Ripens through June. Hardest sort in the list.

**English Morello.** Large, dark red, nearly black, rich, acid, juicy and good. One of the best late varieties. Very productive. August.

**Large Montmorency.** A cherry of the Richmond class but larger and more solid. A more upright grower, hardy and a heavy cropper. Ripens from seven to ten days later than the Richmond, entirely escaping danger from spring frosts. A valuable addition to our orchard fruit.

**Wragg.** Of the Morello type. Tree quite dwarf, very productive; one of the best canning cherries.



Early Richmond.

## PLUMS

This is a fruit that has been sadly neglected in our northern sections since the severe winters killed out the old European sorts. Out of seeming defeat, however, sometimes our greatest victories come. Necessity caused the lovers of this fruit to develop a class of Plums that are designated as natives. These were produced by making a selection of our very best native wild plums, and making crosses with the seedlings grown from them. In this way there have been obtained varieties of which trees are perfectly hardy and productive of fruit that is of fine appearance, good size and nice quality, suitable for both cooking and dessert. Our state experimental station, at Madison, deserves no small share of credit for testing and sending out information regarding this class of fruit. Plant the natives and have fruit in abundance.

### NATIVE SORTS



Surprise Plum

**De Soto.** Medium to large, round-oblong, purple-red when fully ripe, with moderate bloom; skin thick; flesh medium firm, good. Medium to late. This probably is more extensively grown than any other variety at present. Inclined to overbear, and fruit should be thinned to get best results.

**Forest Garden.** Hardy, early, a heavy bearer of juicy, sweet and rich Plums of a dull purplish red, with minute yellow specks and thin bloom. Tree a rank grower and needs some pruning at ends of branches or they grow so long as to split down with their heavy load.

**Hammer.** Medium to large size, globular, mottled red and yellow. Coppery red all over when fully ripe. Should be cut back in early summer to prevent over-weighting of branches. Flesh yellow with slight reddish tinge, juicy, sweet, fine; skin thinner than most American plums; peels readily. A very beautiful plum; tends to over-bear; late.

**Hawkeye.** Large to very large, round-oblong, purplish red, skin thick, flesh good and firm. Tree vigorous and productive.

**Quaker.** Large, round, dull purplish-red, more or less sprinkled with yellowish specks, with a slight bloom; flesh yellow, firm, sweet and pleasant; skin rather thick; tree vigorous and productive. One of our most satisfactory plums in hardiness, productiveness, size and quality.



✓ **Surprise.** Fruit large, dark purplish red when fully ripe, covered with a heavy bloom and densely sprinkled with yellowish dots; flesh firm, tender and of the very best quality. Tree a fine grower.

✓ **Stoddard.** Large, light red over yellow; season medium.

✓ **Wolf.** Freestone; large, round, yellow blotched with red; skin thick, flesh firm, meaty and good. Tree a stout, good grower, prolific. Medium season. Valuable for home use or market.

✓ **Wyant.** Fruit medium to large, slightly oblong and distinctly flattened; purplish red; semi-cling; thick skin; rich, yellow flesh, sometimes red next to stone; of good quality. A sure cropper. September 1.

### HANSEN'S HYBRID PLUMS

We have all read more or less of Luther Burbank's wonderful creations in horticulture. Wonderful as they are, they do not compare in value to us here in the North and Northwest to the work done by Prof. N. E. Hansen of Brookings, S. D., who has given us a new family of plums.

He has used the common wild plum of the Northwest, the native sand cherry of the Dakotas and the large, luscious Japanese plums as parents. By cross fertilization and growing seedlings from these crosses, he has obtained trees that are perfectly hardy, early bearers, very productive, with fruit of good size and fine quality. We certainly believe you will make no mistake in trying these plums.

We fruited the following varieties here on our grounds last season. Professor Hansen has given these plums Indian names.

✓ **Opata** (Sioux Indian name for bouquet). A cross between the Dakota sand cherry and the Japanese plum Gold. Tree is a good grower, an early and heavy bearer. Fruit is from an inch to one and one-quarter inches in diameter. Purplish red in color, with blue bloom; pit small; flesh green, of good quality, excellent for eating out of hand. Ripens last of July.

✓ **Skuya** (the Sioux Indian for sweet). A cross between the large, early Japanese plum, Red June, and the De Soto plum. Tree a strong, vigorous grower. Fruit is about an inch in diameter, color dark dull red and yellow, and of excellent quality. Ripens in August.

✓ **Sapa** (Indian word for black). A cross between the sand cherry and the Japanese plum Sultan. Tree moderately free grower. When mature, the fruit is dark purple clear to the pit, of very good quality and hangs well on the tree after ripe. Ripens in August.

✓ **Hanska** (Sioux Indian word for tall). The parents of this variety are the native wild plum and the large apricot plum of China (Prunus Simoni). Tree is a very strong grower. Fruit is about 1½ inches in diameter, bright red with heavy bloom, flesh firm, yellow and of good quality.

### EUROPEAN SORTS

These are adapted to the section along Lake Michigan and some other favorable locations.

✓ **Bavay's Green Gage.** Very large, greenish color; fine flavor. September.



**Hawkeye Plum**

✓ **Bradshaw.** A good market sort. Fruit large and dark red. Flesh green, juicy.

✓ **Lombard.** This and Moore's Arctic seem to be the best adapted to our severe climate. The Lombard is large in size; violet-red in color, with yellow flesh; juicy, sugary and every way good. Tree vigorous and an immense bearer.

✓ **Moore's Arctic.** A hardy plum from Maine, where it has for many years borne very large crops. Medium in size, nearly round; deep purple.

✓ **Peter's Yellow Gage.** Large, oval, bright yellow, rich, juicy, fine quality. A good grower. September.

### JAPANESE PLUMS

In many sections these are doing very well. They come into bearing early; trees are strong growers and very productive. They are worthy of trial. Would not advise planting in latitude of northern Wisconsin.

✓ **Abundance.** Tree is a strong, handsome grower, thrifty and hardy. Large, oblong, nearly covered with bright red, and with a heavy bloom; flesh orange-yellow, sweet, melting, juicy, and of most excellent quality. Ripens in August.

✓ **Burbank.** Large, nearly globular, clear cherry-red with a thin lilac bloom; flesh a deep yellow, very sweet, with a peculiar and very agreeable flavor. This tree is a straggling grower; usually begins to bear second year after transplanting. Ripens in August. The best of the Japs for our climate.

✓ **October Purple.** This variety is doing well in the Sturgeon Bay country. A large, late, purple plum of good size and quality. Tree claimed to be the hardiest of the Japanese plums.

## PEARS

We cannot recommend Pears for general cultivation in the Northwest. There are, however, many localities where they do well, and in these we say, plant Pears. They succeed best in a well-drained clay soil. The dwarf Pear works in very nicely on small places. They should be planted so that the union of the pear and quince stock will be 2 or 3 inches below the surface of the ground. They come into bearing early, and are productive. Varieties marked with D can be furnished in dwarf trees.



Flemish Beauty Pear

✓ **Anjou** (Beurre de). A large, handsome Pear of good flavor, that keeps until midwinter. D.

✓ **Bartlett**. Large, buttery and melting, with very rich flavor. A vigorous and erect grower; bears young and abundantly. Middle of September. D.

✓ **Flemish Beauty**. Large, pale yellow, russety-brown cheek, beautiful; melting, sugary and delicious; requires to be picked early. Tree vigorous, bears young and abundantly. One of the most hardy of all pear trees; very popular. September to October. D.

✓ **Seekel**. The standard of excellence in the Pear; small, but of the highest flavor. Tree a stout, slow, erect grower. September to October.

✓ **Kieffer's Hybrid**. The tree has large, dark green, glossy leaves, and is of itself very ornamental. It is an early and very prolific bearer. The fruit is of good quality when thoroughly ripe. Valuable for table and market. October to December. D.

✓ **Lawrence**. A good, early winter Pear. D.

✓ **Vermont Beauty**. Tree hardy, healthy and productive. Fruit medium size, skin yellow, nearly covered with carmine; excellent quality. D.

✓ **Wilder**. One of the earliest. Ripens about the first of August. Fruit small to medium; pale yellow, with deep shading of brownish carmine; quality very good; tree vigorous and productive.

## ASPARAGUS

This delicious and healthful vegetable should be found in every garden. Nothing can be more easily grown and no plant will give so much good, healthful food for so little outlay. Set in the fall or spring, with the crown of the plant about three inches below the surface of the ground. Ten to 12 inches by 2 feet is a good distance to plant. Every fall give the bed a good coat of manure, working it in between the rows in the spring. Liberal applications of salt are also beneficial.

**Conover's Colossal**. A standard variety. Well known as a valuable market and garden sort.

**Columbian Mammoth White**. A new sort, with white shoots that remain white. Very large.

**Palmetto**. Extensively grown for market on account of earliness, large size and fine appearance. We consider it our best.

**Bouvallet's Giant**. The strong points of this variety are earliness, productiveness, large size and rust-resisting powers.

## HORSE RADISH

**Malmer Kren**. This variety was brought from Bohemia. It is much earlier, has larger roots and will produce nearly one-third more

to the acre than the ordinary horse radish. The quality is of the best.

## RHUBARB, or PIE PLANT

Plant the hills 3 or 4 feet apart, and make the ground very rich by a good mulch of manure, well worked in every fall or spring.

**Victoria**. Early, large and good, either for home use or market.

**Queen**. The extra large, tender stalks are a decided pink color. Delicious for cooking or canning. A very strong grower.

**Linnaeus**. Leaf-stalks large, tender, juicy and quite early.

**Mammoth**. A good variety, large and tender.

## NUT TREES

The following are valuable trees and should be transplanted when rather small to be successful.

✓ **Black Walnut**. 40 to 50 feet. The tree is of large size, good form and foliage; a valuable timber tree; nut is round and of good quality.

✓ **Butternut, or White Walnut**. 20 to 40 feet. A native tree of spreading habit that produces a rough, longish nut, the kernel of which is sweet, oily and rich.





A block of American Elms. We have all sizes from 1 to 4 inches in diameter

A field of Shrubs, showing Thunberg Barberry and Spirea Van Houtte.

A block of Norway Maple. None better ever grown.

Some Photographs of Stock We Offer You, Taken on Our Grounds.

## HARDY SHADE AND ORNAMENTAL TREES

The figures immediately after the name indicate about the height of trees at maturity

There is a growing tendency among the people to make home beautiful, and the judicious use of shade and ornamental trees goes a long way toward attaining this. The up-to-date farmer, as well as the owner of city and suburban property, realizes that a well-kept lawn, nice shade trees and good windbreaks add not only to the beauty of the place, but to the cash value as well.

In planting, one should have some definite object in view. It is not advisable to plant, hit-or-miss, whatever happens to be handiest or perhaps cheapest. Rather make a careful selection of the trees that will group well together, and give a pleasant view to the landscape. If you do not know just how to do this, send us a sketch of your place, and about how much you wish to expend. We may be able to help you in this matter.

### A List of Trees Recommended for Various Purposes

For streets, roads and wide avenues.—American Elm, Sugar and Silver Maple, Carolina Poplar, Norway Maple, and Box Elder.

For driveways through lawns and parks.—Norway Maple, Catalpa speciosa, American Linden, Horse-Chestnut, Laurel-leaf Willow.

Single specimens of large growth to be branched from the ground.—The birches, American Linden, Norway, Purple Norway, Sycamore and Cut-leaf Maples, Horse-Chestnut, Austrian, White and Scotch Pines, Norway and Colorado Spruces.



Rivers Purple-leaf Beech





American Linden

Single specimens of medium growth to be branched from the ground.—Horse-chestnut, Laurel-leaf Willow, Oak-leaf Mountain Ash, Flowering Thorn, Hemlocks, White Pines, Siberian Arborvitæ, Pyramidal Arborvitæ, American Arborvitæ.

Trees that thrive in moist locations.—American Elm, American Linden, Ash, Catalpa, Poplars and Willows.

Trees that thrive on dry knolls or poor soil.—Silver-leaf Maples, Poplars, and Box Elders.

Flowering Trees.—Judas Tree, Fringe Tree (white and purple), Lindens, Horse-Chestnuts (red and white), Cherry (white), Catalpa speciosa, Thorns (pink, scarlet and white).

Cut-leaved Trees.—Cut-leaved Birch, Wier's Cut-leaved Maple, Imperial Cut-leaved Alder.

Purple and Scarlet-leaved Trees.—Purple Norway Maple, Rivers' Purple-leaved Beech.

We are often asked, "Why do you not list your trees, shrubs, etc., under the common name, so we may know what we are talking about?" As far as possible to do so, we have placed the common name first, and the botanical name in smaller type immediately after the common name. You will find all varieties listed under both the common and botanical name in the index.

## ALDER - *Alnus*

Common, or European Alder (*A. glutinosa*). 30 to 35 feet. A rapid-growing tree of medium size that is especially adapted to low, moist locations. Foliage dark green.

Imperial Cut-leaved Alder (*A. laciniata imperialis*). 30 to 35 feet. A stately, graceful tree, with large, deep-cut foliage; vigorous and hardy. A fine lawn tree.

## ASH - *Fraxinus*

American White Ash (*F. Americana*). 50 to 60 feet. Probably the best of the Ash family. Valuable for timber or shade. Should have plenty of room to develop.

## BEECH - *Fagus*

The Beeches are hardy and thrive best in a deep, rich clay soil. The glossy foliage and gray bark form a fine contrast. Best success will be obtained by planting small specimens and pruning severely at time of transplanting.

American Beech (*F. Americana*). 40 to 50 feet. One of our finest native trees.

Rivers' Purple-leaf Beech (*F. sylvatica Riversi*). 30 to 40 feet. The finest of all purple-leaf trees, as the foliage has fine coloring throughout the entire season. The habit of growth is compact and symmetrical.

## BIRCH - *Betula*

The trees of this group are hardy, and succeed on light soils as well as in ordinary locations. Their light, airy foliage, graceful form and beautiful bark make them valuable for either landscape work or lawn specimens.

European White Birch (*B. alba*). 30 to 40 feet. Quite erect when young. After four or five years' growth the branches begin to droop gracefully. Bark silvery white. Very effective when planted along lake shores or streams.

Paper, or Canoe Birch (*B. papyracea*). 40 to 50 feet. An American variety. A vigorous, upright grower, with white bark.



Catalpa Bungei



**Cut-leaf Weeping Birch** (*B. laciniata*). 30 to 40 feet. Beyond question one of the most elegant of all weeping or pendulous trees. Its tall, slender, yet vigorous growth, graceful, drooping habit, silvery white bark and delicately cut foliage present a combination of attractions rarely met with in a single tree.

### BOX ELDER, see Maples

### CATALPA

**Hardy or Western Catalpa** (*C. speciosa*). 30 to 40 feet. A valuable, upright, rapid-growing tree, that is being extensively planted in the West for railroad ties, telegraph poles, etc. The flowers (which appear in June) are borne in large clusters, are creamy white, slightly mottled inside, and are followed by long, bean-like pods that remain on the tree during the winter. Leaves are very large, yellowish green.

**Chinese Catalpa** (*C. Bungei*). A species from China; of dwarf habit, growing only 3 or 4 feet high. When grafted on stems 7 to 8 feet high, it forms a very effective umbrella-shaped tree. Not perfectly hardy in this latitude.

### COFFEE TREE - *Gymnocladus*

**Kentucky Coffee Tree** (*G. Canadensis*). An irregular-growing tree of medium size, rough bark and very small branches. Foliage of bluish green color.



Bechtel's Double-flowering Crab.

### CRAB - *Pyrus*

**Bechtel's Double-flowering Crab** (*P. angustifolia*). 20 feet. About the middle of May the trees are covered with beautiful, double, pink, sweet-scented flowers, that at a distance look like small roses. Tree is a moderate grower, hardy and of upright habit. One of the very best.

### DOGWOOD - *Cornus*

**White-flowering Dogwood** (*C. florida*). 20 to 25 feet. The large white flowers, which appear early in the season, are followed by scarlet berries. In autumn the foliage is a brilliant crimson, making a beautiful tree at all seasons.

### ELM - *Ulmus*

**American White Elm** (*U. Americana*). 50 to 60 feet. In our estimation has no superior for street planting or large lawns. Of large size, rapid growth, and widespread branches, that droop gracefully with age. With the rest of this genus, it prefers a low, damp location, but will do well in any ordinary soil. Should have plenty of room to develop.

**Camperdown Weeping Elm**. When grafted from 6 to 8 feet high, forms a large, handsome head; branches often extend horizontally several feet before drooping. A fine variety.

### HACKBERRY - *Celtis*

**American Nettle Tree** (*C. occidentalis*). 30 to 35 feet. A fair-sized native tree, of irregular growth, with elm-like leaves and rough bark.



American Elm

See page 60 for formulas of insecticides and fungicides, and data as to the proper time for spraying.



Horse Chestnut

### HORSE-CHESTNUT - *Aesculus*

A valuable tree, having large spikes of flowers in May and June. Do best in a deep, rich soil, as on dry soil the leaves are liable to blight and drop early in the season.

**American Horse-Chestnut, or Buckeye** (*Æ. glabra*). 50 to 60 feet. The fastest grower of this species. Leaves smooth, flowers yellow; blooms before others.

**European, or White-flowering Horse-Chestnut** (*Æ. Hippocastanum*). 50 to 60 feet. A large-growing tree with symmetrical head. Covered in May with white flowers marked with red. Fine as a single lawn tree.

**Red-flowering Horse-Chestnut** (*Æ. rubicunda*). 40 to 50 feet. Blooms a little later than the white-flowering. Leaves dark green, very showy when in bloom.

**Double-flowering Horse-Chestnut** (*Æ. alba flore pleno*). 40 to 50 feet. Has double white flowers. Bears no nuts.

### HONEY LOCUST - *Gleditschia*

**Honey Locust** (*G. triacanthos*). 40 to 50 feet. A large, vigorous-growing native tree, with long thorns and delicate foliage. In many sections is used for hedges.

### LARCH - *Larix*

**European Larch** (*L. Europæa*). 40 to 50 feet. A lofty, rapid-growing pyramidal tree, with small drooping branches and delicate feathery foliage. Valuable for timber.

### LINDEN - *Tilia*

**American Linden, or Basswood** (*T. Americana*). 50 to 60 feet. One of the best large-sized rapid-growing trees. Suitable for either street or lawn planting. Should be given plenty of room to develop. Foliage large; flowers borne in large clusters, are very fragrant.

**European Linden** (*T. Europæa*). Not so large a tree as the former, more compact in form. The leaves are smaller than the American, but similar in shape.

### MAPLE - *Acer*

This group of trees is hardy, easily transplanted and comparatively free from disease. They are equally valuable for street or lawn planting. Wier's and Schwedler's make very fine lawn specimens. The North American species, especially, have very brilliant colored foliage in the fall.

**Silver Maple** (*A. dasycarpum*). 50 to 60 feet. Of rapid growth, large size and irregular rounded form; foliage bright green above and silvery white beneath. Tree very hardy and easily transplanted. Valuable where quick shade is wanted.

**Ash-leaved Maple, Box Elder** (*A. Negundo*). 30 to 40 feet. A native tree, easily distinguished by its ash-like foliage of light green color. Well adapted to a great variety of soils and locations, is hardy, a very rapid grower, and therefore especially valuable where quick shade is desired.

**Norway Maple** (*A. platanoides*). 40 to 50 feet. The most popular of the Maple family for lawn or street planting; of fairly rapid growth, forms a well-rounded head, with large, deep green foliage that holds its color until late autumn. Is very free from injurious insects.



Norway Maple



**Wier's Cut-leaved Silver Maple** (*Wierii laciniatum*). 35 to 40 feet. This is a variety of the Silver-leaved Maple, with cut or dissected foliage. Its growth is rapid, shoots slender and drooping, giving it a habit almost as graceful as a cut-leaved birch. A very desirable tree.

**Siberian Maple** (*A. Ginnala*). Of dwarf and compact habit, with medium or small leaves. Makes a very pretty small tree, or can be used as a large shrub, perfectly hardy. Brilliant crimson in autumn.

**Purple-leaved Norway Maple** (*A. platanoides Schwedleri*). 30 to 35 feet. One of the most beautiful trees we know. Foliage in spring is brilliant purple, later changing to a dark, rich green. Leaves on the new growth during the summer are bright purple, making the tree always beautiful. Similar in habit of growth to the Norway.

**Purple-leaved Norway Maple** (*A. platanoides Reitenbachi*). 30 to 40 feet. Foliage delicate green in the spring, rich purple in summer. Tree a more erect grower than the former.

**Red, or Scarlet Maple** (*A. rubrum*). A native species of medium size and rounded head, produces deep red blossoms which appear before the leaves. In autumn the foliage turns to brilliant scarlet, which makes the tree very conspicuous and beautiful.



**Sugar Maple**

**Sugar Maple** (*A. saccharinum*). 50 to 60 feet. A well-known native tree, of elegant pyramidal form. Its stately growth, fine foliage and form, with its brilliant autumn coloring, make it desirable as a shade and ornamental tree. Especially valuable for street planting.

### A Small Investment Adds Great Value

Have you ever given careful consideration to the question of how much a few trees and shrubs would add to the value and beauty of your home?

An investment of \$15.00 to \$50.00 can be made to add from \$100.00 to \$500.00 to the selling value of a property. We can offer you plain practical suggestions as to how it can be done.

For the benefit of our customers we publish formulas of Insecticides and Fungicides, together with data as to proper times to spray. See page 60.




**Weir's Cut-leaf Maple**



**Ash-leaved Maple**





Weeping Mulberry

### MULBERRY - *Morus*

**Russian Mulberry** (*M. Tatarica*). Is largely planted for screens and windbreaks, also used for shade in hen yards. The fruit, which is rather small, is greatly appreciated by the birds and fowls.

**Weeping Russian Mulberry** (*M. Tatarica pendula*). One of the most graceful weeping trees in existence, forming a perfect umbrella-shaped head, with long, slender branches drooping to the ground parallel to the stem. It has beautiful foliage, rather small, handsomely cut. Is grafted on stems 6 to 8 feet high.

### MOUNTAIN ASH - *Sorbus*

**European Mountain Ash** (*S. aucuparia*). Of upright, stocky growth, covered from mid-summer until winter with clusters of orange-colored berries.

**Oak-leaved Mountain Ash** (*S. aucuparia quercifolia*). Of the same habit of growth as above. The leaves are deeply lobed, resembling the oak.

### OAK - *Quercus*

**White Oak** (*Q. Alba*). 50 to 60 feet. One of the largest and best of our native trees. In common with the other oaks, is of rather slow growth at first, but, if given good soil and room, soon develops into splendid specimens. Leaves are smooth, bright green, turning to purplish color in autumn.

**Burr Oak** (*Q. macrocarpa*). 30 to 40 feet. A native western tree of medium size. Its striking characteristics are the mossy cup that

holds the acorn, the corky bark on the branches, and the large, heavy, dark green leaves.

**Pin Oak** (*Q. palustris*). 40 to 50 feet. The branches droop with age. Foliage deep green, and finely divided. One of the best for street planting.

**Red Oak** (*Q. rubra*). 50 to 60 feet. An American variety of large size and rapid growth. Foliage purplish red in autumn.

**Black Oak** (*Q. tinctoria*). 50 to 60 feet. A rapid grower, and will grow in poorer soils than the other oaks. Not so handsome as some of the other sorts. Valuable for timber.

### POPLAR - *Populus*

Poplars are rapid growers, easily transplanted, and, where quick results are desired, valuable.

**Carolina Poplar** (*P. monilifera*). 40 to 50 feet. We think this leads as a rapid-growing tree. Needs some pruning back for a few years after planting; rarely produces suckers; also good for screens and shelter belts. Foliage large, glossy green.

**Golden Poplar** (*P. aurea*). 30 to 40 feet. Similar to above in growth. Foliage of golden yellow color.

**Norway Poplar** (called by some Sudden Saw Log). Very similar to the Carolina Poplar. We consider it a little more stocky grower than the above, and equally as good in every way.



Pin Oak





Carolina Poplar.

**RED BUD - Cercis**

**American Judas Tree** (*C. Canadensis*). 20 to 25 feet. The best variety of this species for planting in our climate; blooms early in the season before leaves start. Must be transplanted when small.

**GINKGO - Salisburia**

**Maidenhair Tree** (*S. adiantifolia*). A medium-sized tree from Japan. The foliage is thick and clean cut, resembling the leaves of the Maidenhair Fern. Rare and desirable.

**SYCAMORE - Platanus**

**American Plane, Buttonwood** (*P. occidentalis*). 40 to 50 feet. A large, rapid-growing tree that is suitable for street or avenue planting.

**Oriental Plane** (*P. Orientalis*). 40 to 50 feet. Similar to the above. Largely planted in the East.

**TREE OF HEAVEN - Ailanthus**

**A. glandulosa**. 40 to 50 feet. A rapid-growing tree that does well on poor soils and smoky city streets where other trees fail. The pinnate palm-like foliage is useful in producing tropical effects.

**THORN - Crataegus**

These are classed as small trees or large shrubs. They are hardy and do well in any dry soil. Are not as easy to transplant and make grow as we could wish.

**American White Thorn** (*C. coccinea*). 10 to 12 feet. A fine native variety; single white

flowers early in the season, scarlet fruit in the fall. The earliest to bloom.

**Cockspur Thorn** (*C. crus-galli*). 10 to 12 feet. Very pretty dwarf tree with wide-extended branches, giving it a flat top effect. Flowers white tinged with red; fruit scarlet, hangs on well.

**Double-flowering Thorn** (*C. oxyacantha flore pleno*). Blossoms resemble clusters of small white roses.

**Paul's Double Scarlet Thorn** (*C. Oxyacantha coccinea flore pleno*). Flowers large, double, bright carmine red; the best of its color.

**Double Red Thorn** (*C. coccinea rubra flore pleno*). Blossoms rose-colored. A good companion for the two preceding sorts.

**WILLOW - Salix**

**S. laurifolia**. 20 to 25 feet. A rapid-growing tree that deserves a larger place in our landscape work than it receives. Its dark, glossy foliage makes a fine background for shrubbery; also valuable for screens, as it bears shearing well. Bark bright green; is very showy in winter, easily transplanted, and thrives in a variety of soils.

**S., Wisconsin Willow**. The best weeping Willow. A very graceful, rapid-growing tree that will stand more cold than any of the others.

**Golden Willow** (*S. vitellina*). Very effective in winter seasons when planted in groups, on account of its yellow bark. Should be severely trimmed each season to produce plenty of new growth.



Laurel-leaved Willow





DESIGNED BY THE LANDSCAPE DEPARTMENT OF THE COE, CONVERSE & EDWARDS COMPANY

This Cut shows a Nicely Arranged Planting of Evergreens.

## EVERGREENS

### ARBORVITAE - *Thuja*

**American Arborvitae** (*T. occidentalis*). 10 to 20 feet. The finest evergreen for hedges. It grows rapidly and soon forms a beautiful hedge, very dense. Is not adapted to turn stock, but forms a most desirable and ornamental screen to divide the lawn from other parts of the grounds, or any other like purpose. May be trained in any form desired, as no evergreen bears the shears with so little injury as this.

**Golden Arborvitae** (*T. aurea*). 8 to 10 feet. A beautiful variety of compact, globular form; color a lively yellowish green; one of the very handsomest.

**Globe Arborvitae** (*T. globosa*). Of dense, dwarf habit, globular in outline; color a pretty light green; requires no shearing and always in good form.

**Pyramidal Arborvitae** (*T. pyramidalis*). 10 to 12 feet. A superb, new and hardy sort, of very compact habit, like the Irish Juniper. Is rare and beautiful, and is largely planted in cemeteries and places where spreading trees would be out of place. This is perhaps the most valuable Arborvitae in cultivation.

**Siberian Arborvitae** (*T. Siberica*). 6 to 8 feet. Exceedingly hardy, keeping its color well in winter. Growth compact and globular; makes an elegant lawn tree of good value.



American Arbor Vitae

Address all correspondence to the Coe, Converse & Edwards Company, Ft. Atkinson, Wisconsin.



## JUNIPER - *Juniperus*

**Irish Juniper** (*J. communis*, var. *Hibernica*). 6 to 8 feet. Effective in general landscape work and formal planting; upright, conical form; foliage bright, silvery green; not perfectly hardy in this latitude.

**Savin Juniper** (*J. Sabina*). 3 to 4 feet. Of dwarf, spreading growth. Hardy and thrives well on poor soil; a favorite for rock-work.

## PINE - *Pinus*

**Austrian, or Black Pine** (*P. Austriaca*). 40 to 50 feet. A strong, sturdy grower; foliage long, dark green.

**White Pine** (*P. Strobus*). 40 to 50 feet. A strong, rapid-growing tree, with light, silvery green foliage. The best and most ornamental of our native Pines.

**Scotch Pine** (*P. sylvestris*). 30 to 35 feet. A very noble and rapid grower; tree has strong, erect shoots and glossy green foliage.

**Dwarf Mountain Pine** (*P. montana*). Of compact, spreading growth. Is more of a bush than tree; valuable in landscape work where a low, broad evergreen is needed. Very hardy.

## SPRUCE and FIR - *Abies*

**White Spruce** (*A. alba*). 25 to 30 feet. Pyramidal in form; foliage silvery green. More compact than Norway Spruce.

**Norway Spruce** (*A. excelsa*). 40 to 50 feet. A lofty, elegant tree of rapid growth and pyramidal habit. After the tree is 20 to 25 feet high the branchlets droop very gracefully. Probably the most extensively planted of any evergreen in this country; thrives in any well-drained soil. Valuable for windbreaks, screens and hedges.



Norway Spruce.

**Hemlock Spruce** (*A. Canadensis*). 35 to 40 feet. A beautiful lawn tree; fine, dark foliage. Fine for hedges, becoming dense and bushy when trimmed. Medium size tree, rapid grower and very hardy.

**Colorado Blue Spruce** (*A. pungens glauca*). 25 to 30 feet. A rare and elegant tree, with foliage of rich blue. One of the most distinct and striking of all the Spruce family. The trees we offer are grafted, and are of the genuine blue color. A free grower and perfectly hardy.

**Balsam Fir** (*A. balsamea*). 40 to 50 feet. A rapid growing native tree, with dark green foliage; handsome while young, becomes somewhat straggling in appearance when it reaches full size.



Mugho Pine.

### SPECIAL NOTICE

Our Evergreens are all one or more times transplanted, and are good below the ground as well as above. It is advisable to transplant some varieties with a ball of dirt to insure success. This adds a little to the cost, but it is well worth the extra expense. (See Price List).





*Hydrangea Arborescens Grandiflora Alba*

## HARDY SHRUBS

The figures immediately after the name indicate about the height of Shrubs at maturity

We are making the growing of Hardy Shrubs, etc., one of our specialties. Our soil is especially adapted to the growing of this stock.

Nothing adds more to the beauty of a place than to have the sides and background well filled with nicely arranged groups of shrubbery. Until seen, one cannot appreciate the effect that can be brought out by properly arranging and grouping the wonderful assortment of foliage ranging in color from the darkest green and purple to light orange and silver tints. Added to this, the great variety in blossoms unite to keep up a never-failing interest.

If you do not know how to arrange them, let us help you.

**Shrubs and Vines that Flower in May.**—Almonds, Forsythia, Honeysuckle, Japan Quince, Lilacs, Prunus triloba, Snowballs, Spirea, Tree Pæony, Wistaria.

**In June.**—Clematis, Deutzia, Dogwood, Elder, *Elæagnus longipes*, Honeysuckle, Lilacs, Herbaceous Peonies, Snowballs, Spirea, Syringa, Weigela, Wistaria, *Rosa rugosa*.

**In July.**—Clematis, Spirea, Honeysuckle, *Rosa rugosa*.

**In August and Sept.**—Bignonia, Clematis, Honeysuckle, *Hydrangea Paniculata grandiflora*.

**Shrubs whose Flowers are succeeded by Ornamental Fruit.**—Barberry, scarlet berries in September; Chinese Matrimony Vine, red berries in September; Dogwood (red-branched), white berries in September; Elder, purple fruit in August; *Elæagnus longipes*, deep orange-red berries, very showy; Highbush Cranberry, *Rosa Rugosa*.

### ACACIA; MOSS LOCUST

#### Robinia

**Rose Acacia** (*R. hispida*). 4 to 6 feet. This medium-sized shrub is a native of the mountains of Virginia. The pinnate leaves are light green; flowers pink, the shape of pea blossoms and borne in loose clusters.



Thunberg's Barberry Hedge



## ALMOND

**Dwarf Double-flowering Almond** (*P. Japonica* fl. pl.) 2 to 4 feet. These are small shrubs that are covered early in the season before the leaves appear with small, double, rose-like flowers. We have them in both white and pink.

## ALTHEA - Hibiscus

**Althea; Rose of Sharon** (*H. Syriacus*.) 6 to 8 feet. A very ornamental and useful class of shrubs that bloom very freely during August and September. They are free-growing and do well on a variety of soils. They come in white, blue, purple, variegated and all shades of red; single and double. Unfortunately they are not perfectly hardy in this section; are more hardy, however, as they attain age.

## BARBERRY - Berberis

The Barberry is fine for grouping with other shrubs or in masses by itself. The foliage is good at all seasons, the green varieties turning to crimson in autumn, and all have yellow flowers in May or June, followed by bright red berries that are carried well into winter. They are of quick growth, hardy and succeed on any well-drained soil. Their sharp thorns also make them useful as hedges.

**Thunberg's Barberry** (*B. Thunbergi*). 2 to 3 feet. From Japan. A pretty species, of dwarf habit; small foliage, changing to a beautiful coppery-red in autumn. Makes a beautiful, low, ornamental hedge; also effective in groups. Stands shearing well.

**Common Barberry** (*B. vulgaris*). 5 to 8 feet. A native species, forming a large shrub with handsome, distinct foliage and yellow flowers from April to June, succeeded by bright-colored fruit.

**Purple-leaved Barberry** (*B. purpurea*) . 5 to 7 feet. An interesting shrub, growing 5 to 8 feet high, with purple foliage which retains its color all summer. Blossoms are yellow in May or June and bright-colored fruit in the autumn.



*Cornus Sibirica* (See page 30)

## BUCKTHORN - Rhamnus

**Common Buckthorn** (*R. catharticus*). 8 to 10 feet. A very useful hedge plant. Foliage dense and dark green. Has attractive white flowers in June and July.

**SEA BUCKTHORN, see Hippophae**

**BURNING BUSH, see Euonymus**

## CARAGANA

**C. arborescens** (Pea Tree). 8 to 10 feet. A large shrub or small tree. The flowers are pale yellow, pea-shaped, and are borne in great abundance in May. Good for massing, but should be kept somewhat in the background. Is somewhat rusty in autumn. Very hardy.

## SWEET-SCENTED SHRUB Calycanthus

**C. floridus**. A native shrub attaining a height of from 6 to 8 feet. The flowers, springing from the axis of the leaf, are double and very fragrant, and of a chocolate-red color; foliage is quite large and glossy green. Wood also has a spicy odor.

## CLETHRA

**C. alnifolia** (Sweet Pepper Bush). 5 to 10 feet. A small shrub that blossoms very freely the latter part of summer. The flowers are white, very fragrant, and borne in upright racemes. A desirable shrub.



*Spiraea Sorbifolia* (See page 34)



Forsythia Intermedia.

**CORALBERRY, see Snowberry****CURRENT - Ribes**

**Yellow-flowering Currant** (*R. aureum*). 3 to 5 feet. An old variety; fragrant yellow flowers, followed by brownish fruit.

**Yellow-flowering Currant, var. Crandall.** We have found this to be the best of the yellow-flowering sorts; bush a strong grower, fruit very good and the size of small cherries. A great favorite with the birds.

**Crimson-flowering Currant** (*R. sanguineum*). 3 to 4 feet. An American sort that produces an abundance of bright crimson flowers.

**DOGWOOD - Cornus**

**Cornelian Cherry** (*C. mascula*). 8 to 10 feet. A large-growing shrub. The branches are covered early in the spring with yellow flowers, and in the fall with bright red berries resembling cherries.

**C. Spæthii.** 3 to 6 feet. A fine, rapid-growing shrub with red bark; leaves have a broad margin of creamy yellow. One of the very best variegated-leaved shrubs.

**Siberian Dogwood** (*C. Sibirica*). 8 to 10 feet. A hardy, free-growing shrub; bark bright red in winter.

**Red-twigged Dogwood** (*C. stolonifera*). 6 to 8 feet. Its chief value is in its bright red bark in winter.

**C. sanguinea elegantissima.** 4 to 6 feet. Similar to Spæthii, except that the margins of the leaves are white instead of yellow.

**DEUTZIA**

**D. crenata fl. pl.** 6 to 8 feet. A very desirable shrub blossoming in June. The double white flowers are slightly tinged with pink. Is not perfectly hardy.

**D. crenata fl. pl., var. Pride of Rochester.** 6 to 8 feet. A variety produced by Ellwanger & Barry, Rochester, N. Y. Blossom large, double, white, back of petals tinged with pink. Vigorous grower. We consider it the best of the Deutzias.

**Slender-branched Deutzia** (*D. gracilis*). 2 to 3 feet. Of dwarf habit, very fine bloomer; succeeds well under glass.

**EUONYMUS****Strawberry or Spindle Tree**

**E. alatus** (Cork-barked Euonymus). Of dwarf compact habit; branches four-winged; leaves small; fruit red. One of the most beautiful of shrubs in autumn when foliage turns bright scarlet.

**Burning Bush; Wahoo** (*E. atropurpureus*). 6 to 10 ft. Tall-growing native shrub with leaves larger than the European, that turn scarlet in autumn. Its most attractive feature is the abundance of bright red berries that are carried well into the winter.

**European Burning Bush** (*E. Europæus*). 10 to 20 feet. This is really a small tree when matured. Leaves are dark glossy green; berries are rose-colored. Not perfectly hardy.

**ELAEAGNUS - Oleaster**

**Russian Olive** (*E. angustifolia*). 15 to 25 feet. A very large shrub or small tree; the leaves are narrow and silvery white in color; blossoms are small, yellow and very fragrant; perfectly hardy.

**Silver Thorn** (*E. longipes*). 4 to 6 feet. Of dwarf, spreading habit; foliage dark green above, silvery white beneath; small yellow flowers; fruit oblong, bright red, covered with small white dots, and is edible. Valuable on account of ornamental character of the fruit.

**ELDER - Sambucus**

Large, rapid-growing shrub that blooms in June; flowers white. They are grown chiefly for the foliage effect; require severe pruning to keep them in shape.

**Common Elder** (*S. Canadensis*). 5 to 8 feet. A well-known shrub, having large, flat bunches of white flowers in June and reddish purple berries in autumn. Very showy and deserving of more extended cultivation.

**Golden Elder** (*S. nigra aurea*). 6 to 8 feet. A handsome, large-growing variety with golden yellow foliage which holds its color throughout the season. Should be planted where it can get full sunlight to be at its best.

**Variegated Elder** (var. *variegata*). 5 to 6 feet. The leaves are margined and mottled with white and yellow. A good grower.

**Cut-leaf Elder** (var. *laciniata*). 5 to 6 feet. A variety with deep-cut foliage and somewhat drooping habit. Very nice.



**Red-berried Elder** (*S. racemosus*). 4 to 6 feet. White flowers in spring, followed by red berries. A good companion for *S. Canadensis*, and often with ripe fruit when the latter is in bloom.

### FORSYTHIA - Golden Bell

These are pretty shrubs of medium size. Natives of China and Japan. The flowers are drooping yellow and appear very early in spring before the leaves. Bush hardy, but flower buds kill in severe winters.

**F. Fortunei** (Fortune's Forsythia). 5 to 6 feet. A strong grower, with rich green foliage; flowers dark yellow.

**F. Intermedia**. One of the hardiest and most floriferous of the Forsythias. Blooms very early, before leaves appear.

**F. suspensa**. Long, slender, curving branches. May well be called Weeping Forsythia.

**F. viridissima** (Golden Bell). 5 to 6 feet. Of more erect growth than the former; foliage dark green; flowers a lighter shade of yellow than the others.

### FRINGE TREE - Chionanthus

**White Fringe Tree** (*C. Virginica*). 10 to 20 feet. In favorable locations this develops into tree-like proportions. The contrast between its large, deep green, thick, leathery leaves and the loose drooping bunches of white flowers resembling silken fringe is fine; blossoms May or June.

### PURPLE FRINGE, see Sumac HYDRANGEA

**H. arborescens grandiflora alba**. This magnificent hardy American shrub is the very finest addition to this class of plants found in many a year. The blooms are of the very largest size, of pure snow-white color, and the foliage is finely finished. One of its most valuable characteristics is its coming into bloom just after the passing of all the early spring shrubs, while its long period of bloom—from early June through August—makes it doubly valuable, not only to the florist, but to every owner of a garden. Perfectly hardy. The habit of the plant is excellent. It is bound to become the most widely grown and the most useful of all the Hydrangeas, and one of the most valuable shrubs found in the American garden.

**H. paniculata grandiflora** (Hardy Hydrangea). 5 to 6 feet. One of the best shrubs in cultivation. Is a strong grower and produces large panicles of white flowers in August that change to a delicate pink and then green, lasting until winter. To produce best results should be grown in rich soil with plenty of manure, and be severely pruned each season, as the bloom is produced on the ends of the new wood. Very showy and effective.

**H. paniculata grandiflora, Tree Form**. 6 to 8 feet. Same as the above, except that it is grown in standard or tree form.

### HIPPOPHAE

**H. rhamnoides** (Sea Buckthorn). 6 to 8 feet. Is a graceful, willow-like shrub with soft gray foliage and slender drooping branches. Especially charming near water.



Bush Honeysuckle

### HAZEL; FILBERT - Corylus

**Common Hazelnut** (*C. Americana*). 4 to 8 feet. A native of most of the northern states. The nuts are smaller than the European filberts, but are sweet and of good quality. Shrub rather coarse, very hardy.

### BUSH HONEYSUCKLE - Lonicera

The following sorts are of erect, upright growth; flowers are followed by small berries. (See Climbing Vines for other Honeysuckles.)

**L. fragrantissima**. 5 to 6 feet. Blossoms small, very fragrant and come early, before the leaves appear. Leaves are dark green and are retained well into the winter.

**L. bella albida**. One of the finest of the Bush Honeysuckles, being a very profuse bloomer, and the bush later completely covered with bright red berries.

**L. Morrowi**. 4 to 5 feet. From Japan. Bush an upright grower; blossoms are white and appear in May or June. The bright red berries that come in autumn are its chief attraction.

**L. Tatarica** (Tartarian Honeysuckle). 6 to 8 feet. A strong, upright-growing shrub; blossoms are pink and make a fine contrast with the dark green foliage.

**L. Tatarica var. grandiflora**. 6 to 8 feet. Blossoms large, red striped with white.

### HIGH BUSH CRANBERRY See Viburnum



Lilac

**INDIAN CURRANT, see Snowberry****KERRIA - Corchorus**

**K. Japonica.** 4 to 6 feet. A free flowering shrub with upright, slender green branches. The tops often kill back, but new shoots come up that bloom from July until frost. Flowers are double yellow. A desirable shrub.

**WHITE KERRIA, see Rhodotyus****LILAC - Syringa**

This group is so well known that there is no need of extended description. To reach perfection, should have moist, rich soil. We would call special attention to the newer varieties, as great improvement has been made in them.

**Persian Lilac** (*S. Persica*). Usually does not grow to be more than 4 to 6 feet in height; branches slender; foliage small; loose clusters of purple flowers.

**White Persian Lilac** (var. *Alba*). Similar to above, only flowers are white.

**S. Rothomagensis.** Very much like the Persian in growth; flowers are reddish purple.

**Common Purple Lilac** (*S. vulgaris*). 8 to 10 feet. Bluish purple flowers; well known.

**Common White Lilac** (var. *alba*). 8 to 10 feet. Cream-white flowers.

**Single Lilacs**

**Charles X.** 6 to 8 feet. A strong-growing sort, with large, shining leaves; trusses large, reddish purple.

**Cærulea.** One of the best. Bud is light purple; when fully opened is clear blue. Truss large.

**Marie Le Graye.** 6 to 8 feet. Large panicles of white flowers. One of the very best.

**Ludwig Spæth.** 6 to 8 feet. Panicles long; individual flowers large, dark purplish red, distinct; the finest of its color.

**Lilac Villosa.** 6-8 feet. From Japan. The large branching panicles appear about two weeks after the other Lilacs, are borne well above the bush and vary in color from light pink to lavender. The heavy, leathery, glossy dark green foliage, (entirely different from other Lilacs) make it valuable either in groups or as single specimens. Bush a strong, stocky grower.

**Double Lilacs**

**Belle de Nancy.** 6 to 8 feet. Panicles large, satiny rose, almost white in center. Very fine.

**Mad. Lemoine.** 5 to 8 feet. Pure white; a good grower; panicles large; a free bloomer.

**Pres. Grevy.** 5 to 8 feet. Individual flowers of the largest size, very double; trusses large; one of the best blue sorts.

**S. Virginite.** Flowers large, double, tender rose, shade of Souvenir de la Malmaison rose.

**MOSS LOCUST, see Acacia**

Buckthorn Hedge.





Philadelphus, or Mock Orange

**FLOWERING PLUM - Prunus**

**Purple-leaved Plum** (*P. pissardi*). 8 to 10 feet. A small tree or shrub. The foliage and young shoots are of a rich reddish purple, which they retain throughout the season. Not perfectly hardy in this latitude.

**Double-flowering Plum** (*P. triloba*). 5 to 8 feet. A large shrub or small tree; the branches are covered early in the season, before leaves appear, with small, double, pink flowers. Very desirable.

**Cistena**. We are pleased to credit Prof. N. E. Hansen of South Dakota with furnishing the Northwest a purple-leaved shrub that is adapted to our climate. This is a cross between the Dakota Sand Cherry and the *Prunus pissardi*. In habit of growth and glossiness of leaf it resembles the sand cherry. The foliage, however, has the rich purple red color of the *Prunus pissardi*. We consider this very desirable. Supply is limited.

**PRIVET - Ligustrum**

The Ligustrums are not only good hedge plants, but are one of the fine things for groups on the lawn. They are almost evergreen, and of dense, shapely habit. Sometimes in a very severe winter, they will kill back a little, but will soon recover.

**Amoor** (north). A fine shrub of upright growth. Its pure white flowers appear in June and are followed by bluish black seeds.

**Polish Privet**. 6-8 ft. Similar in habit of growth to the Amoor, but much hardier. We believe this will prove a valuable shrub for this climate.

**L. Regelianum**. This is our favorite. The horizontal, sometimes drooping branches are distinctly beautiful. The plant is dense and compact, growing to 6 or 8 feet. Blooms in June and July, and has berries like preceding.

**QUINCE - Cydonia**

**C. Japonica** (Japan Quince). 3 to 5 feet. Foliage bright green and glossy. Bright scarlet-crimson flowers in early spring before the leaves are developed. Blossom buds not perfectly hardy in this latitude.

**RHODOTYPOS**

**R. kerrioides** (White Kerria). 3 to 6 feet. Bears an abundance of white flowers in May; foliage is attractive; bush a slender grower; hardy.

**RUSSIAN OLIVE**, see *Elaeagnus*

**ROSE OF SHARON**, see *Althea*

**SYRINGA - Philadelphus**

Also known as Mock Orange. Are mostly large shrubs, growing from 6 to 10 feet high. Of vigorous habit, very hardy, with large, handsome foliage and beautiful white flowers produced in great profusion. They merit a place in every collection of shrubbery.

**Garland Syringa** (*P. coronarius*). 5 to 6 feet. One of the first to bloom. Pure white, highly scented flowers.

**Garland Syringa** (var. *alba flore pleno*). Flowers are partly double; very fragrant.

**Golden-leaved Syringa** (var. *aureus*). A very pretty plant, growing 4 to 5 feet high, with golden yellow foliage. It keeps its color the entire season and is valuable for planting with purple-leaved shrubs.

**P. grandiflora**. 8 to 10 feet. The strongest grower and largest flower of the group; blooms in June; slightly fragrant.

**P. Lemoinei erectus**. A charming variety of upright growth; flowers small, yellowish white, fragrant, completely covering the bush.

**SILVER THORN**, see *Elaeagnus*

**SNOWBALL**, see *Viburnum*

*Hydrangea paniculata grandiflora*



Spirea Van Houttei

### SPIRAEA - Meadow Sweet

These hardy shrubs are well adapted to various locations and soils; easily grown and profuse bloomers. The bloom period of the different sorts extends from May till September.

**S. arguta.** 4 to 6 feet. Of dwarf, slender, graceful habit; foliage fine, light green; blossoms very early, last of April or first of May.

**S. Bumalda, var. Anthony Waterer.** 2 to 3 feet. An improved variety of this type; dwarf, upright grower, covered from June or July until fall with large heads of dark crimson flowers. Darker than Bumalda. A valuable addition to the list.

**S. Billardi.** 4 to 6 feet. Medium sized, upright grower with spikes of rose-colored flowers in July.

**S. callosa alba** (Dwarf White Spirea). 2 to 3 feet. Similar in habit and growth to Anthony Waterer. The blossoms, however, are pure white; a free and continuous bloomer. Works in very nicely in borders with Anthony Waterer.

**S. callosa rubra.** Has large panicles of deep rosy blossoms, grows freely and blooms nearly all summer.

**S. opulifolia** (Nine Bark). 6 to 8 feet. The largest-growing species of this group; blossoms in June. Valuable for massing and also as background for other shrub planting.

**S. opulifolia, var. aurea.** 6 to 8 feet. Very much like the former, except that the foliage is yellow in spring, changing to golden bronze in autumn.

**S. prunifolia fl. pl.** (Bridal Wreath). 4 to 5 feet. A fine variety with plum-like leaves. The branches are covered in May with small, double, white flowers. Is in bloom for some time. Unfortunately it is not perfectly hardy in the North.

**S. sorbifolia.** Of a vigorous species with leaves like the mountain ash, and long, elegant spikes of white flowers in July.

**S. van Houttei.** 4 to 6 feet. Without question the finest variety in the collection. The branches droop gracefully and when covered with bloom the latter part of May it is a beautiful sight. Makes a nice hedge to divide the lawn from the garden; foliage is beautiful at all seasons. Perfectly hardy. Is sometimes erroneously called Bridal Wreath. Much used in all good landscape work. Clusters of twenty to thirty flat white florets make up the racemes, and these clusters are set close along the drooping stem.



Snowberry



Tamarix



## SNOWBERRY - *Symphoricarpos*

These are especially valuable for planting in the shade and in undergrowth.

**S. Racemosus** (Snowberry). 3 to 4 feet. Flowers small, pink, in June or July; foliage dark green; berries large, white, and hang well into winter.

**S. vulgaris** (Indian Currant, Coral Berry). 3 to 4 feet. Similar to Snowberry, except berries are smaller and are red.

## SUMAC - *Rhus*

**Dwarf or Shining Sumac** (*R. copallina*). Beautiful foliage of lustrous green in summer changing to rich crimson in autumn. Produces heads of greenish yellow flowers in August. Used for planting in large masses.

**Purple Fringe, or Smoke Tree** (*R. cotinus*). A much-admired shrub for its curious fringe or hair-like flowers that cover the whole surface of plant in mid-summer. 10 to 12 feet.

**Common Sumac** (*R. glabra*). 6 to 8 feet. In many sections so plentiful as to be considered a nuisance, yet can be used with good effect in landscape work. The brilliant-colored foliage in autumn makes a fine contrast with a dark background.

**Staghorn Sumac** (*R. typhina*). A large shrub or tree. Brilliant foliage and scarlet fruit in autumn.

**Cut-leaf Sumac** (var. *laciniata*). 4 to 5 feet. A very striking plant of medium size, with deeply cut leaves resembling fern leaves, dark green above and glaucous below, turning to a rich red in autumn.



Common Snowball

## TAMARIX

**Amurensis**. 6 to 8 feet. A very beautiful shrub, with small leaves somewhat resembling those of the juniper, and delicate, small, pink flowers in spikes. The hardiest Tamarix.

## VIBURNUM - Arrowroot

**V. Cassinoides**. An upright grower well furnished with dull green foliage. It has creamy white flowers in June followed by black fruit in autumn.

**V. dentatum**. Has glossy green foliage, white flowers in June; crimson berries turning blue in autumn. One of the best shrubs for landscape planting.

**V. lentago** (Sheepberry). Grows 20 to 30 feet high, white flowers in cymes in May and June. Large oval blue-black fruit in autumn.

**V. lantana**. 6 to 8 feet. Large-growing shrub with soft, heavy leaves; large clusters of white flowers in May, followed by red berries that turn black as they ripen; retains its foliage late.

**V. opulus** (High Bush Cranberry). 5 to 6 feet. Both ornamental and useful. Its late red berries, resembling cranberries, hang until destroyed by frost late in the fall. Resemble the snowball in wood and foliage.

**V. opulus var. sterilis** (Common Snowball, Guelder Rose). 6 to 8 feet. A well-known favorite shrub of large size, with globular clusters of pure white sterile flowers the latter part of May.

**Japanese Snowball** (*V. plicatum*).

**Japanese Snowball, Single** (*V. tomentosum*). We have found the last two varieties not hardy in this latitude.



Purple Fringe, or Smoke Tree





Weigela Eva Rathke

### WEIGELA - Diervilla

A valuable family, handsome in foliage as well as flowers. Are easily grown and adapted to a variety of soils. The flowers are trumpet-shaped, and are borne thickly in clusters along the stem.

**White-flowering Weigela** (*D. candida*). 6 to 8 feet. A vigorous, upright-growing shrub; flowers pure white and produced in great abundance. Kills back some in winter here.

**D. Desboisi**. 6 to 8 feet. A beautiful variety with deep rose-colored flowers resembling *Rosea*, but darker. One of the best Weigelas.

**D. Eva Rathke**. 6 to 8 feet. A charming new Weigela with bright crimson flowers; a beautiful, distinct shade. Blooms all summer. Not quite as hardy as *Rosea*.

**Rose-colored Weigela** (*D. rosea*). 6 to 8 feet. The best known of the Weigelas. An elegant variety with fine rose-colored flowers in June.

**Variegated-leaved Weigela** (*D. nana variegata*). 3 to 6 feet. Of dwarf habit; leaves are finely margined with creamy white; blossoms resemble *Rosea*. Not perfectly hardy.

### WITCH HAZEL - Hamamelis

**H. Virginiana** (Common Witch Hazel). 6 to 7 feet. A native of the Atlantic states. Small yellow flowers, which appear late in the fall.

## LANDSCAPE WORK

We are in a position to make plans and execute the planting. If you will give the dimensions and general lay of the property you wish to develop, we will be pleased to submit a sketch outlining the work. We can save you money and give you goods that are adapted to your needs.



DESIGNED BY THE LANDSCAPE DEPARTMENT OF THE COE, CONVERSE & EDWARDS COMPANY

One of the Pretty Homes in Appleton, Wisconsin.





Dutchman's Pipe.



Hall's Japan Honeysuckle.

## CLIMBING VINES

### ACTINIDIA

**A. arguta.** A climbing plant from Japan. The flowers are white with a purple center and sometimes cover the whole vine. The fruit is round, edible and has a fine flavor; this plant has handsome foliage and is a most desirable climber.

### IVY - Ampelopsis

**Virginia Creeper, or American Ivy** (*A. quinquefolia*). A perfectly hardy, rapid climber, with large, five-lobed leaves which change to bright scarlet or crimson in autumn.

**Var. Engelmannii.** Shorter jointed and having finer foliage than *Quinquefolia*. Clings to brick or stone. A good grower and hardy. The best for the North and Northwest.

**Boston, or Japan Ivy** (*A. Veitchii*). From Japan. It is a splendid plant for covering any object, as it clings perfectly to the smoothest surfaces. The foliage is a bright glossy green, changing to bright tints of scarlet, crimson and orange. Kills back some in a cold, dry climate.

### ARISTOLOCHIA

**Dutchman's Pipe** (*A. Siphon*). A native species of climbing habit and rapid growth, with magnificent light green foliage, ten to twelve inches in diameter, and curious, pipe-shaped, yellowish brown flowers; a splendid variety for archways or verandas.

**BOSTON IVY,**  
See **Ampelopsis**



Ampelopsis Engelmannii

### BITTERSWEET - Celastrus

**Bittersweet** (*C. scandens*). A native climbing or twining plant, with fine, large leaves, yellow flowers and clusters of orange-capsuled fruit. It grows 10 to 12 feet in a season.

### CLEMATIS

This family of plants is noted for its rapid, slender growth, delicate foliage and profusion of bloom through the summer. They do best in rich soil, and where they can have plenty of sun. We give a few of the best only. Give winter protection in this section.

### Large-flowering Sorts

**C. Duchess of Edinburgh.** Double white.

**C. Jackmani.** Flowers from 4 to 6 inches in diameter, intense violet-purple, with a velvety appearance. Hardy. A free grower, and frequently blossoms from midsummer until frost.

**C. Henryi.** New, and one of the best perpetual hybrids; of robust habit; not as free a bloomer as Jackmani. The flowers are white, large and very showy.


**C. Madame Edouard Andre.** Flowers large, of a beautiful, bright, velvety red; free-flowering and a continuous bloomer.

### Small-flowering Sorts

**C. coccinea.** Flowers scarlet, small, and bell-shaped; a pretty sort.

**C. viticella.** Small, blue flowers. Vine is strong and a rapid grower.





Clematis Paniculata

**C. paniculata.** A great novelty from Japan. It has proved to be one of the most desirable, useful and beautiful of hardy vines; a luxuriant grower and profuse bloomer. Small, white, fragrant flowers in September.

**C. Virginiana** (American White Clematis). A remarkably rapid climbing plant growing to the height of 20 feet, producing a profusion of flowers in August.

## LYCIUM

**Chinese Matrimony Vine** (*L. Chinense*). A vigorous climber, covered with small, star-shaped purple flowers, succeeded by brilliant scarlet berries which remain on the vine until winter. Thrives everywhere.



Clematis Jackmanii.

## CLIMBING HONEYSUCKLE

### Lonicera

Favorite vines with delightfully fragrant flowers. Perfectly hardy and adaptable to any purpose.

**L. Belgica, or Monthly Fragrant.** Blooms all summer; red and yellow, very fragrant flowers.

**Hall's Japan Honeysuckle** (*L. Halliana*). A strong, vigorous, almost evergreen sort, with pure white flowers, changing to yellow. Very fragrant and covered with flowers from July to November. Holds its leaves until January. The best of the Honeysuckles.

**Scarlet Trumpet Honeysuckle** (*L. sempervirens*). A strong, rapid grower; blooms very freely the entire season; bright red trumpet-shaped flowers.

**L. Sullivanii** (Our Native Honeysuckle). A very rampant grower, and in autumn completely covered with clusters of large red berries. Fine for fall effect on arbors or walls.

## PERIWINKLE; MYRTLE - Vinca

**V. minor** (Trailing Myrtle). A low, creeping plant used largely in cemetery work and in covering the ground in shady places. Has evergreen, shining foliage and small blue flowers.

## TRUMPET FLOWER - Tecoma

**T. grandiflora** (Large-flowering Trumpet Vine). Not quite as strong a grower as the following variety. Flowers very large; salmon color, with yellow center, striped red.

**T. radicans** (American Trumpet Flower). A very robust, rapid-growing vine with large, scarlet, trumpet-shaped flowers in August.

## WISTARIA

**W. Sinensis** (Chinese Wistaria). One of the most rapid growing of all the climbing plants. Grows from 15 to 20 feet in a season. Has long, pendulous clusters of pale blue flowers in May or June and sometimes in autumn.

**W. Sinensis, var. alba.** Has pure white flowers. Not very valuable.



Purple Wistaria.





DESIGNED BY THE LANDSCAPE DEPARTMENT OF THE COE, CONVERSE &amp; EDWARDS COMPANY

A Part of the Planting Around the Home of E. W. Paine, Oshkosh, Wisconsin.

## ROSES

Roses thrive best in a good, well-drained clay soil where they can have plenty of sunlight. Make the ground rich with well-rotted manure, and in spring severely prune all varieties except climbers and Persian Yellow. Cover in the fall with some coarse dry material.

### HYBRID PERPETUAL

Most of this class are fragrant and bloom freely in June, and, while called perpetual, are not so in fact. Many sorts, however, give a liberal sprinkling of bloom in autumn.

**Alfred Colomb.** Bright rich crimson; leaves large and full; very fragrant; a superb sort in every respect.

**Anne de Diesbach.** Rich carmine color, large, fragrant; a good garden sort.

**Baron de Bonstetten.** Dark velvety maroon; very double.

**Clio.** New; satiny pink, with darker center; globular shape; fine in bud and flower; plant a strong grower and free bloomer.

**Earl of Dufferin.** Rich dark crimson, shading to maroon; large, full, fragrant; a good grower; one of the best dark roses.

**Frau Karl Druschki.** This new Rose comes from Germany. The flowers are large, of perfect form and snow-white in color; a free and perpetual bloomer. Claimed by many to be the best white Rose of its class yet introduced; bush a vigorous grower.

**General Jacqueminot.** Very fragrant; not very full, but large and effective. One of our best garden Roses.

**General Washington.** Deep crimson; very large and double; opens flat.

**J. B. Clark.** This splendid new Rose is a very strong grower with clean, heavy foliage. Flower large, deep scarlet overlaid with crimson.

**John Hopper.** Bright rose; large and full; free bloomer; one of the best old sorts.

**Magna Charta.** A bright clear pink; very sweet; large, fine form; very double; free bloomer.

**Marshall P. Wilder.** Bright cherry red; of good size; very fragrant and perfectly double. Plant is a vigorous grower and continues long in bloom. One of the very best of its color.

**Margaret Dickson.** A very free grower, foliage large and dark. Flower white, with pale flesh center; petals are thick and bell-shaped, quite fragrant; a fine sort.

**Paul Neyron.** The largest variety in cultivation. Deep rose color, very full and double, finely scented, has good foliage and is a free bloomer.



J. B. Clark

**Prince Camille de Rohan.** Very dark, velvety crimson; large, moderately full, handsome.

**Soleil d'Or (New).** This new yellow Rose comes very highly recommended. The flower is full, large, globular-shaped, yellow shaded with red. A vigorous grower and said to be a free bloomer.

**Ulrich Brunner.** Bright cherry red; bush a vigorous grower and a free and continuous bloomer. One of the best.

The following sorts are but half hardy; they can, however, in many sections, be carried through the winter in open ground, if carefully protected.

**American Beauty.** Deep pink shaded with carmine; large, globular, very fragrant.

**Clothilde Soupert.** A fine, free-flowering sort, good for bedding or pot culture; outer petals white, shading to pink in center. One of the very best.

**Hermosa.** An old favorite that is always in bloom; flowers cupped, daintily formed and very fragrant.

**La France.** Delicate, silvery pink, large and double; very fragrant and a constant bloomer.

### MOSS ROSES

**Blanche Moreau.** Pure white, large, full, of perfect form, and well furnished with deep green moss. Very strong grower.

**Crested Moss.** The deep pink buds are surrounded with a mossy fringe and crest; fragrant. One of the best.

**Gracilis.** Deep pink buds, well mossed; a fine sort.

**Henry Martin.** Fine rosy red. Large globular flowers, well mossed; fragrant. To our mind the best of all the Mosses.



**Amelia Gravereaux, Hybrid Rosa Rugosa.**

**Salet.** Light rose, large, full, good in bud; blooms sometimes in autumn.

### TREE ROSES

These are grafted on stems 3 to 3½ feet high, forming a head that is somewhat tree-shaped. May be planted in tubs and carried to cellar in winter. We can furnish them in white, pink, dark red, also the Crimson Rambler, in this form.

### CLIMBING ROSES

**Climbing American Beauty.** We have handled this only one season. It is very highly spoken of by reliable growers in the East who say it combines the good qualities of the American Beauty Rose with the strong growth of the climber, and claimed to be hardy with winter protection.

**Baltimore Belle.** Pale blush, nearly white, very double; blossoms in clusters.

**Crimson Rambler.** The most valuable acquisition of recent years. Is of vigorous habit, strong, rapid growth (10 to 12 feet in a season), with handsome, shining foliage. Produces, in marvelous abundance, large clusters of the brightest crimson, semi-double Roses, that remain perfect for some time. Is suitable for walls, fences, pillars and porches.



**Crested Moss Rose**



**Dorothy Perkins.** A very good companion for the Crimson Rambler, as it is of the same habit of growth. Flowers are borne in clusters, are a beautiful shell-pink color and very fragrant. Where one wishes a "Pink Rambler" we advise using this variety.

**Excelsa (Red Dorothy Perkins).** Fine crimson scarlet. Flowers are borne in large clusters. Vigorous grower, good healthy foliage; one of the best Climbing Roses.

**Flower of Fairfield** (called by many the Everblooming Crimson Rambler). Similar to the Crimson Rambler in every way, and continues to bloom throughout the season; a valuable acquisition to any rose garden.

**White Dorothy Perkins.** Of the same habit of growth as the Dorothy Perkins. Where a White Rambler is wanted, we recommend this variety.

**Gold Finch.** Light yellow, semi-double, very free bloomer.



Hybrid Rosa Rugosa Hansa.

**Queen of the Prairie.** Bright rosy red, large, compact and globular flowers; blooms in clusters; a good strong grower. One of the best.

**Russel's Cottage.** Color ranges from pink to deep crimson; blossoms in beautiful clusters; very double and full.

**Seven Sisters.** A popular old variety, blooms in graceful clusters; color varies from dark to light red or pink.

## MISCELLANEOUS ROSES

**Baby Rambler** (Mad. Norbert Levavasseur). This new Rose is a dwarf bush form of the Crimson Rambler, and is an ever-bloomer. May be used as a pot-plant or garden Rose, blooming continuously in either place. The blossom is of the same color and form as the Crimson Rambler, the clusters having from twenty to forty blossoms at a time. Is certainly a great acquisition.

**Centifolia.** Old-fashioned Cabbage Rose. There has been considerable demand for this good old hardy Rose of our mothers' gardens. We have secured a stock of them and we feel sure a good many of our customers will be glad to get them. Very large, very double delicate pink.

**Harrison's Yellow.** Perfectly hardy; semi-double; blooms early.

**Madam Plantier.** Pure white double Rose. Plant of fine form and produces flowers in great abundance in June. One of the best varieties for cemetery planting.

**Persian Yellow.** Flowers double and full; deep golden yellow color; blooms freely in June. Finest hardy yellow Rose grown.



Dorothy Perkins, Climbing Rose



## ROSA RUGOSA

A Japanese variety that forms a strong, sturdy bush 4 to 5 feet high. The foliage is dark glossy green, impervious to the attacks of insects of all kinds. Makes a fine background for low shrubbery; also makes one of the very best shrub hedges. The flowers are single, borne in clusters and followed by large red seed-balls. Is very attractive.

**var. rubra.** Single; rosy crimson.

**var. alba.** Single, pure white.

### Hybrid Rosa Rugosa

This valuable class of roses is the result of crossing the Hardy Rosa Rugosa and our common garden roses. This cross has given us varieties that will stand our winter without protection, and give an abundance of bloom during the summer. Most of these also retain the beautiful, dark green Rugosa foliage. We cannot urge too strongly the planting of these roses.

**Amelia Gravcreaux.** A splendid new variety with good Rugosa foliage. The blossom is a rich dark red without a tinge of purple. Very double.

**Blanch de Coubert.** Very large, pure white, semi-double and borne in clusters, very fragrant. The bush is a strong, sturdy grower, has the Rugosa foliage, and produces an abundance of bloom.

**Conrad F. Meyer.** Color silvery rose, fragrant, large, very double, and blooms all summer. The foliage does not show so much of

the Rugosa type as Blanch de Coubert. Claimed to be not quite as hardy as some, but has stood four winters on our grounds without protection, and came through in perfect condition. We consider it the best of its color.

**Hansa.** Deep violet-red, double. Buds are borne in clusters and nearly all open at once. Has the true Rugosa foliage, and is one of the most valuable roses we have. It is absolutely hardy.

**M. Lucian Villeminot.** Another fine, light pink variety. Has good foliage but not the true Rugosa type blossom. Very full and of good shape.

**Nova Zembla.** A light flesh color, a good grower; a fine variety where this color is desired.

**Sir Thos. Lipton.** Pure white, very double, resembling in flower very much the Madam Plantier Rose. Not quite as free a bloomer as some. Fine for cut flowers.


## SWEETBRIER ROSE

**English Sweetbrier.** This old garden favorite is valued on account of the delightful fragrance of the foliage. Hardy.

### WICHURAIANA - Memorial Roses

These are of Japanese origin. Make a rapid growth and have a glossy green foliage. They are of trailing habit and are used in cemetery work for covering graves. Bloom in June and July.

We furnish them in pink, red and white.



Border of Roses and Shrubberty

## HEDGES, SCREENS AND SHELTER BELTS

**For Ornamental Hedges,** Spirea Van Houttei, Hydrangea paniculata grandiflora, Rosa Rugosa, Purple-leaved Barberry and Thunberg's Barberry are being used quite extensively and with excellent satisfaction. For an evergreen hedge there is nothing better than Norway Spruce and Arborvitae.

**For Screens** to cut off unsightly views, etc., such shrubs as Tartarian Honeysuckle, Philadelphus grandiflora and common Lilac work in very nicely. These will attain a height of 8 to 10 feet. Where a taller screen is desired, Laurel-leaf Willow and Evergreens may be used.

**Shelter Belts.** Spruces and Pines are the best for this purpose. Planted on the north and west side of buildings they shut out the cold winter winds and make all more comfortable, to say nothing of the saving in fuel for the home and feed for the stock. By using medium-size trees for these belts, the expense is but little as compared to the benefit derived.





DESIGNED BY THE LANDSCAPE DEPARTMENT OF THE COE, CONVERSE & EDWARDS COMPANY

A Fine Effect Obtained by an Open Lawn with Shrubs and Evergreens in the Background.

## HARDY PERENNIALS

These can be used to best advantage in groups and beds on the lawn as borders for drives, walks, or in front of shrubbery and in the garden. Some of the tall-growing sorts may be planted in among the shrubbery with good effect. Most of the perennials can be planted in the spring or fall. Soil should be kept well fertilized. A light covering of coarse, strawy manure or something that will not pack is beneficial in winter.

### ACHILLEA

**A., The Pearl.** 2 feet. Produces an abundance of small white flowers during summer months.

**A. roseum.** 15 to 18 inches. Flowers are rosy lilac in color and are produced freely during June, July and August.

### ACONITE - Monkshood

This plant seems especially adapted for planting in shady places. They form bushy clumps and produce their hood-shaped flowers on spikes about 3 feet high during July and August. Colors purplish blue, blue and cream.

### ALTHEA, see Hollyhock

### ANCHUSA

(Dropmore Variety). An improved variety that grows 4 to 5 feet high, produces an abundance of gentian-blue flowers in May and June.

### ANEMONE - Wind Flower

Early-flowering Anemones are fine for rockeries and low borders. They do well in shade or sun. Must have a well-drained soil.

**A. Japonica.** Medium size, with two rows of petals; color rosy red, stamens bright yellow.

**A. Japonica alba.** Pure white, single.

**A. Japonica, Whirlwind.** Large, semi-double, white.



Achillea—The Pearl



Aster Novae Angliae

**ANTHEMIS**

**A. tinctoria.** 2 to 3 feet. Of bushy habit. Deep lemon-yellow flowers. June to August.

**AQUILEGIA - Columbine**

Bloom in late spring and early summer; grow about 2 feet high and succeed in any ordinary garden soil. Worthy of more extensive planting.

**A. Canadensis.** The native Columbine; red and yellow.

**A. alba.** Flowers pure white.

**A. caerulea** (Rocky Mountain Columbine). Color blue and white. One of the best hardy flowers in cultivation.

**A. chrysantha.** Golden yellow. Is in bloom for several weeks.

**A. nivea grandiflora.** Pure white, large flower.

**Aquilegia.** All colors mixed.

**ASTER - Michaelmas Daisy**

Very late-flowering; showy plants; fine for borders or for massing. Bloom in September and October.

**A. elegans.** Very light blue.

**A. Novae-Angliae.** Large; bluish purple, yellow center.

**A. Novae-rubra.** Bright rose color.

**A., White Queen.** Large, white; free bloomer. 4 ft.

**Dwarf Hardy Asters**

**A. Alpinus.** Fine for the rockery or edge of hardy borders. Grows 6 to 10 inches high and bears large, showy, bluish purple flowers in May and June.

**A. albus.** Identical to above, but pure white flowers.

**A. acris.** A neat variety growing about a foot high, completely covered in September with violet-blue flowers.

**ASCLEPIAS**

**A. tuberosa.** One of the showiest of our native perennials. About 2 feet high and producing during June and July close, compact umbels of brilliant orange colored flowers.

**ASTILBE - Spirea; Goat's Beard**

**A. Japonica.** A handsome plant, with small pure white flowers in large feathery panicles. Blooms in May out-of-doors. Is used largely for forcing.

**var. grandiflora.** Flower-spikes large and more compact and individual flowers more numerous than in Japonica.

**A. palmata.** Abundant clusters of crimson flowers produced in June and July.

**BLEEDING HEART, see Dielytra****BOCCONIA**

**B. Cordata.** Reaches a height of 5-8 feet. Grows well even in the poorest soil. The rather large cut leaf foliage works in well in shrub borders, flowers are creamy-white, are borne on the terminals, and appear in July and August.



Coreopsis—Lanceolata Grandiflora



**BOLTONIA****False Chamomile**

An autumn flowering plant with thousands of aster-like flowers open at once. Produces a showy effect. Season is during August and September.

**B. asteroides.** 4 to 6 ft. Pure white. Is among the perennials what the Spirea Van-Houttei is among shrubs.

**A. latisquama.** 4 to 5 feet. Lavender-pink; fine.

**BABY BREATH**

See *Gypsophila*

**BLANKET FLOWER**

See *Gaillardia*

**CAMPANULA****Bell Flower**

**C. pyramidalis.** 4 to 5 feet. Large blue flowers. August and September.

**COLUMBINE**

See *Aquilegia*

**CARDINAL FLOWER**

See *Lobelia*

**CHELONE**

A handsome perennial, growing about 2 feet in height. Blooms during August and September.

**C. glabra.** Spikes of creamy-white flowers.

**C. Lyoni.** Heads of deep red flowers.

**CONVALLARIA**

**C. majalis** (Lily-of-the-Valley). 6 to 8 inches. One of the most charming of the spring flowers. Flowers small, bell-shaped, very fragrant.

**COREOPSIS**

**C. lanceolata.** Flowers deep golden yellow, borne on stems 1½ to 2 feet high. Make very nice cut-flowers. The main crop of flowers comes in June, but it continues to bloom all summer.

**DELPHINIUM - Larkspur**

Mr. W. C. Egan, the well-known writer and a great admirer of Delphiniums, says: "There is no hardy perennial more easily grown than the Delphinium. It revels in full sunshine and a deeply worked rich soil with plenty of water during dry spells. If given these it will fill your heart with joy and gladness in the richness and profuseness of bloom."

**D. Cælestinum.** This is identical with the *Formosum*, except that it is a beautiful light blue.



Delphinium—Larkspur

**D. Belladonna.** The freest and most continuous blooming of all, never being out of flower from end of June until cut down by hard frosts in fall. The clear turquoise-blue of its flowers is not equaled for delicacy and beauty by any other flower. Grows about 2 feet.

**D. Chinensis.** 18 inches. Flowers vary in color through all the shades of light blue.

**Delphinium Chinensis Alba.** A pure white form of the *Chinensis*.

**D. formosum.** 3 to 4 feet. The old hardy dark blue sort. Flowers all summer.

**DIANTHUS, see Hardy Pink****DIELYTRA, or DICENTRA**

**D. spectabilis** (Bleeding Heart). Blooms early in the spring. Makes very nice borders. Pink, heart-shaped flowers borne in graceful racemes.

**DIGITALIS - Foxglove**

A very satisfactory flowering plant, but is a biennial instead of a perennial.



*Funkia* (White Day Lily)

**DAY LILY** (white), see *Funkia*

**DAY LILY** (yellow), see *Hemerocallis*

### EUPATORIUM

*E. caelestinum*. 18 to 24 inches. Light blue flowers similar to *ageratum*. Blooms during August and September.

*E. scrotinum*. 4 to 5 feet. Useful in background of borders; large heads of creamy-white flowers in August, Sept. and Oct.

### FUNKIA - Plantain, or Day Lily

The broad, massive foliage of these plants makes attractive groups and borders even when not in bloom. From 12 to 18 inches high.

*F. caerulea*. Broad green leaves; blue flowers.

*F. grandiflora*. Pure white flowers, very fragrant.

*F. undulata media picta*. Green and white variegated foliage; purple flowers.

### FLEUR DE LIS (See *Iris*)

### FLOWERING SAGE (See *Salvia*)

### GAILLARDIA - Blanket Flower

*G. grandiflora*. 2 feet. One of the showiest and most effective of hardy plants. Begins

flowering in June and continues throughout the summer. The center of the blossoms is dark reddish brown, petals are shaded orange, crimson and red and are from 2 to 3 inches across and borne on single stems. They do well on light soil. Must be well protected in the winter.

### GYPSOPHILA - Baby's Breath

*G. paniculata*. 2 to 3 feet. Produces large panicles of very small white flowers. June, July and August. Fine for decorating in connection with high-colored flowers.

### GIANT DAISY

See *Pyrethrum*

### GOLDEN GLOW

See *Rudbeckia*

### HARDY GARDEN PINKS *Dianthus*

An interesting class of plants that grow 10 or 12 inches high and bloom in May and June. We have the improved varieties in Red, Pink and White.

### HELENIUM - Sneezewort

A desirable class of border plants succeeding in any garden soil in a sunny location; broad, spreading heads of flowers. Useful for cutting, each species covering a long blooming season.

*H. autumnale*. Grows from 5 to 6 feet high, with broad heads of golden yellow flowers during late summer and fall.

*H. Hoopesii*. Pure orange flowers 2½ inches across, and the earliest to flower, coming in June and continuing throughout July. 2 feet.

*H. grandicephalum striatum*. Of strong, robust, erect habit, growing 3 to 4 feet high, with flowers about 1½ inches in diameter in large branching heads of a deep orange color irregularly striped and blotched with crimson. July and August.



Hardy Garden Pinks—*Dianthus*.



### Colorado Blue Spruce

The variety we grow most of in this splendid tree is known as Koster's. These trees are all propagated from selected blue specimens of this variety and are all "true blue." We import these from Holland and usually grow them here several years before selling them. The Blue Spruce grown from seed vary in color and it is very rarely that we get a "shiner."

Our Blue Spruce and other fancy Evergreens are all dug and shipped with a ball of dirt on the roots, thereby insuring safety in transplanting.



Colorado Blue Spruce.

coming on the end of the branches above the foliage, producing a very pleasing effect. So far as we are able to learn, it has proved hardy wherever tried.

### Polish Privet

We believe at last we have a privet that is **HARDY**. This variety is of upright growth, dark glossy foliage, and the blossom is very prominent,



Polish Privet.





A Beautiful Border Planting of Peonies.


## Peonies

It is of no use for us to eulogize the peony. Every one knows what they are and loves them. This illustration simply brings out their beauty when used in a border. September and October are the best months to transplant them although they can be safely moved in the spring. In planning your planting do not overlook this grand old flower.

### A Word of Caution

Do not plant a Poplar, Box Elder, or Soft Maple where an Elm, Linden or Norway Maple should be planted. All these varieties are good and have their places in the general scheme of planting, but they should be placed where they belong.

If you are not sure what is best to plant, advise with some one who knows the habits of the different varieties.



Lilac Villosa.

## Lilac Villosa

This is one of the best shrubs in our entire list. The foliage is heavy, leathery, and a dark glossy green, (somewhat resembling that of the White Fringe) and is very effective either when massed in landscape work or used as single specimens. The illustration shows what the blossom is. Unless to be used in a special location, we recommend using the bush or shrub form rather than the tree as shown here.



**HELIANTHUS - Sunflower**

Is very free-flowering; succeeds on a variety of soils; makes very nice cut-flowers; also good for high borders or grouping in shrubbery on the lawn.

**H., Miss Mellish.** Flowers in September and October, grows about 6 feet high, with large, single, golden yellow flowers.

**H., Wolly Dod.** One of the best of the September-flowering varieties. Entirely distinct.

**HEMEROCALLIS - Yellow Day Lily**

**H. flava (Lemon Lily).** 2 to 3 feet. A pretty plant, with long, narrow leaves; flowers are a pretty lemon color, fragrant and produced freely in June. Desirable.

**H. Kwanso fl. pl.** Leaves are larger and coarser than the Flava; flowers large, double, copper-colored; grows and does well in almost any location.

**HOLLYHOCK**

These need no description. They are good in rows, groups or interspersed with shrubbery. To reach perfection they should have a deep, rich, well-drained soil. Protect the roots during the winter with a

straw mulch. We offer strong plants in double white, pink, yellow, red and maroon; single choice mixed and Allegheny, a fine new sort, semi-double and fringed.



Type of Japan Iris

**IRIS - Fleur de Lis****JAPAN IRIS (Iris Kaempferi)**

Finest of all the Iris family. The flowers are of immense size, from 6 to 8 inches in diameter, and of the most beautiful and delicate shades. They are perfectly hardy and flower in great profusion during June and July. A well-established plant gives a dozen or more flower-stalks 2 to 3 feet high, each stalk producing two to four enormous blooms. The Iris thrives best if planted in a moist soil. If this cannot be had, they should be plentifully supplied with water while growing and flowering. We have them in white, cream, violet, dark purple, variegated blue and white, purple and gold, and many others.

We have selected the following thirteen varieties as being the finest and most distinct of the whole list, and all with English names.

**Alba plena.** Double white, very large.

**Alida.** Six petals, large white panicked with blue.

**Beth Hellock.** Large double bluish purple flowers striped white.

**Blue Beard.** Intense blue throughout, large and full.

**Blue Danube.** Pure rich blue, yellow center.

**Blue Jay.** Fine azure-blue freely mottled.

**Commodore Perry.** Very dark violet-red, double; medium size.

**Gold Bound.** Large double white, yellow center.

**Helene von Siebold.** Deep pink, white band.

**Hyde Park.** Reddish purple blotched with white.


**Mahogany.** Dark red shaded maroon; distinct.

**Prof. Georgeson.** Pure rich purple-plum, of mammoth size.

**Purple Emperor.** Very dark purple, yellow center, large flower and strong grower.



Monarda Didyma (Page 50)



*Platycodon Grandiflora*

### MALLOW MARVEL

The vigorous, strong-growing roots make a good clump in one season, from 4 to 6 feet high, which blooms freely from midsummer until cut down by frost. Is an herbaceous plant, tops dying back to the ground in the fall and coming up from the root in the spring. Grows well in any good rich soil. Colors, red, white and pink.

### MONARDA - Bergamot

*M. didyma*. Flowers bright scarlet, produced in July.

### PAPAVER - Poppy

*P. nudicaule* (Iceland Poppy). The plant is of neat habit, forming a tuft of bright fern-like foliage from which spring throughout the entire season a profusion of slender, leafless stems one foot high, each graced with charming cup-shaped flowers, colors range white, yellow, orange and scarlet.

*P. orientale* (Oriental Poppy). For a gorgeous display of rich brilliant coloring nothing can excel the Oriental Poppies during their period of flowering in May or June, and whether planted singly or in masses their large flowers and freedom of bloom render them conspicuous in any position.

### GERMAN IRIS (*Iris Germanica*)

The German Iris is one of the most desirable of early spring-flowering plants. The flowers are of large size and exquisite colors. No garden is complete without a collection of these beautiful flowers. The following are among the best:

**Innocence.** Pure white.

**Kochi** (*atropurpurea*). Purple.

**Celeste.** Tall grower, a delicate lavender-blue, fragrant, beautiful.

**Madam Chereau.** Standards and falls pure white, daintily edged with light blue.

**Florentina.** Early, white tinged with blue and yellow.

**Augustina.** Deep yellow marked with maroon, giving a coppery hue.

**Asiatica.** Deep purple, very large and handsome. Has received many medals.

**Hector.** Light bronze stained with purple.

**Rosy Gem.** Rich rose color.

**Flavescens.** Light primrose-yellow, very large, free-blooming.

### MISCELLANEOUS IRISES

**Pumila.** A dwarf early-flowering sort growing about six inches high; deep purple.

**Sibirica.** Purplish blue flowers, 3 feet high, fine for cutting.

**Sibirica alba.** White veined pale lilac.

### LYCHNIS - Lamp-flower

**L. Chalcedonica.** 2 to 3 feet. A very showy border plant, with large heads of single scarlet flowers. July and August.

### LIATRIS PYCNOSTACHYA

A showy and attractive plant that succeeds in a variety of soils. The long spikes of rosy purple flowers appear in July and August.

### LOBELIA - Cardinal Flower

**L. cardinalis.** Flowers produced on long spikes, 3 to 4 feet high, bright cardinal red; require lots of moisture.

### PHYSOSTEGIA - False Dragon Head

The *Virginica* is probably the most desirable one of this group. During September and October it bears spikes of bright pink flowers. 3 feet.

### PLATYCODON - Bell-flower

These are very closely allied to the *Campanulas*. Of upright habit, and they bloom through July, August and September. Very desirable.

**P. grandiflorum.** 1½ feet. Large, fine dark blue, star-shaped flowers.

**P. grandiflorum album.** A white-flowering form of the above.

### PYRETHRUM - Daisy

**P. uliginosum** (Giant Daisy). 4 to 5 feet. Is covered during July, August and September with large, daisy-like flowers 2 to 3 inches in diameter.



**RUDBECKIA - Cone-flower**

**R. laciniata** (Golden Glow). We doubt if any perennial has been more popular than this, or more largely planted. It fills a very important place; producing an abundance of beautiful, golden yellow, double flowers during the hot summer months, when they are greatly appreciated. Fine for cut-flowers. Attains a height of 6 to 8 feet in good soil.

**R. purpurea** (Giant Purple Cone-flower). Forms a bushy plant 2 to 3 feet high. Flowers cone-shaped, reddish purple with golden tips, 3 to 4 inches in diameter. Blooms from July to October.

**R. sub-tomentosa**. The plant is pyramidal in form and very thickly branched, about 2½ feet high, covered in summer with brilliant lemon-yellow flowers with dark purple centers.

**SALVIA - Flowering Sage**

**S. azurea**. A Rocky mountain species. Grows 3 feet high and produces during August and September pretty sky-blue flowers in the greatest profusion.

**SCABIOSA**

Handsome border plants, succeeding in any ordinary soil if well drained and in a sunny location. They last a long time when cut and placed in water. *Caucasica* is lavender in color and is the best one. Grows 15 to 18 inches high.



Yucca—Spanish Bayonet

**SEDUM SPECTABILE**

One of the best of the Sedums, growing about 18 inches high with bright light green foliage and large heads of handsome, showy, rose-colored flowers. Blooms late in fall.

**SHASTA DAISY**

These plants are free bloomers. The common variety grows from 12 to 18 inches high and has a white blossom about 1½ inches in diameter. Good for borders.

**King Edward**. Much stronger grower than the above and a larger flower. A valuable variety.

**SPANISH BAYONET - See Yucca****VERONICA - Speedwell**

**V. spicata**. A good border plant, growing about 18 inches high. Produces long spikes of bright blue flowers during June, July and August. Great favorites in the hardy garden. Unexcelled for cutting purposes.

**YUCCA - Spanish Bayonet**

**Y. filamentosa** (Adam's Needle). A tropical-looking plant, with long, narrow leaves that remain green the entire year. It throws up a strong flower stem in the summer, 3 to 5 feet high, bearing a spike of creamy white bell-shaped flowers, which retain their beauty for a long time. Very hardy, and likes the sun and dry soil. The foliage is of strong, upright growth.



Salvia Azurea—Flowering Sage.



Peony Planting.

## HERBACEOUS PEONIES

There is quite a revival in the planting and demand for these old-time favorites. Their requirements are few. Give them a good, rich, deep soil and plenty of water and there will be bloom in abundance. They succeed best in an open, sunny location, but will do almost equally well in partially shaded places. While they are perfectly hardy, we think a mulch of coarse manure in this climate is beneficial, removing it early in the spring. They may be planted during September or October, or in the spring. The following varieties are selected with care from a long list and will be found satisfactory.

**Courome d'Or.** A strong grower and free bloomer. Blossom very large, bell-shaped, creamy white.

**Duke of Wellington.** Large sulphur-white, fragrant; fine for cutting.

**Edulis Superba.** Early dark pink, a free bloomer, very desirable.

**Francis Ortegal.** Purplish crimson, large and fine.

**Felix Crusse.** Brilliant red, ball-shaped bloom; the popular color with florists; rather late.

**Festiva alba.** Large, globular, pure white with a few spots of carmine in the center; beautiful and sweet.

**Festiva maxima.** This is the most beautiful of all the white Peonies. The flowers are of extra large size, in clusters, and petals as fine as silk. Color pure white, with a crimson drop in the center.

**Grandiflora rubra.** Large, late; fine form, blood-red.

**Japanese.** Single white. Very large, 7 or 8 inches across; blush-white, large yellow center.

**Jacqueminot.** Deep red, nearly the same shade as the General Jac. rose.

**La Martini.** Bright red; full; good.

**Modeste.** Deep rose, bright, showy, fragrant; very large, distinct and fine.

**Mad. Lebon.** Very double; medium size; bright cherry or cerise-pink. One of the finest; fragrant.

**Luc Barbier.** May well be called the purple Paeony, the darkest variety we know; full, high center; extra fine.

**Prince Imperial.** Brilliant purplish scarlet, free bloomer. Fine for massing in landscape work.

**Reine de Fleurs.** Fine, rosy pink, salmon center.

**Rubra superba** (Richardson's). Dark crimson, large and full. Very late and one of the best of the dark reds.

**Solfatare.** Sulphur yellow shading, free bloomer; good.

### THE FOLLOWING ARE OF THE OFFICINALIS TYPE

**Officinalis alba.** Early; blush-white.

**Officinalis rosea.** Similar to above, except in color, which is pink.

**Officinalis rubra.** Fragrant; large size, double; crimson. This is the old-fashioned red Paeony.

**Officinalis tenuifolia fl. pl.** (Fringe Leaf). Early; dark red; the foliage is delicate and fern-like.





Hardy Phlox Border

## HARDY PHLOX

We know of nothing more desirable among the hardy plants than Perennial Phlox. They may be used in hardy borders, groups on the lawn, or planted in front of shrubbery, where they furnish an abundance of flowers for a long time. Our collection is made up of the most distinct and striking colors and contains the best new sorts, as well as the cream of the old varieties. The culture is very easy. Succeed in any good garden soil. The blooming season, which in established plants is during July and August, may be prolonged by pinching back some of the plants in June. They may be planted in either fall or spring. Are perfectly hardy. Plants should be taken up and transplanted every three or four years.

**Coquelicot.** Fine; pure scarlet-crimson center. One of the very best.

**Caran de Ache.** Rosy carmine.

**Eiffel Tower.** Tall grower; a fine pink.

**Fiancee.** Dwarf; early; pure white.

**Eclairer.** Purplish crimson, with lighter center. An early and continuous bloomer; flower large.

**G. A. Strohlein.** Orange scarlet, with red eye.

**Hector.** Fine; pink.

**Le Mahdi.** Fine bright purple.

**Le Soleil.** Beautiful soft rose, shaded pink; free bloomer.

**Luster.** Large, rose pink, darker center; fine.

**M. P. Langier.** Bright red, with vermilion center.

**Mad. Meuret.** Flame color, changing to rich salmon, center deep carmine.

**Miss Lingard.** Almost pure white, slightest pink eye; large spikes; fine quality; very early.

**Premier Minister.** Rosy white, deep rose center.

**Pantheon.** Fine dark pink.

**Queen.** Large, pure white.

**Richard Wallace.** White, rosy center.

**Sir Edward Landseer.** A good grower. Color a bright, clear crimson.

**Von Lossburg.** Pure white, very large.

**Wm Robinson.** Salmon with rosy center.

### Phlox Subulata

Creeping plants with handsome, moss-like, evergreen foliage, completely covered with flowers in the early spring.

**Subulata alba.** Pure white flowers.

**Subulata rosea.** Clear rose color.



German Iris.

## HARDY ORNAMENTAL GRASSES

When planted singly in beds, or in groups on the lawn, they give a very fine effect. Are being used largely in gardens and parks. They are not all perfectly hardy.

### EULALIA

*E. gracillima univittata*. 4 to 5 feet. Very narrow foliage of bright green color, with white midrib. One of the best.

*E. Japonica*. Tall, showy; plain green leaves.

*var. variegata*. Long narrow leaves, striped with green and white. Flower stalks 4 to 6 feet high. Very ornamental.

*var. zebrina*. 5 to 7 feet. A very striking and distinct plant, striped with yellow bands, about 3 inches apart, across the stem and leaf, instead of lengthwise.

### ERIANTHUS

*E. Ravennae* (Hardy Pampas Grass). Thrives best in a light, well-drained soil; grows from 7 to 8 feet high. Forms broad clumps, and throws up numerous stalks with beautiful long feathery plumes. Foliage dark bronze-green.

### PHALARIS

*P. arundinacea variegata* (Ribbon Grass). Large, variegated foliage; good for bouquets and for bordering large beds. Hardy.

## HARDY LILIES

These are especially valuable planted among shrubbery, in borders or in clumps. The following are all hardy and will improve from year to year without transplanting. We would advise planting as early in October as good, well-ripened bulbs can be obtained.

*L. Canadense* (Meadow Lily). 2 to 5 feet. The flowers are bell-shaped, yellow and red, and borne on graceful drooping stems in July. A good native sort.

*L. candidum*. 3 to 4 feet. Probably the hardiest white lily; flowers pure white. Also used for forcing. Should be planted in September.

*L. superbum* (Turk's Cap Lily). 4 to 6 feet. The best of the native sorts. A single stalk often produces from twenty-five to forty flowers. When planted in groups no description can do them justice. As one writer describes them, they are literally a blaze of scarlet and gold.

*L. tigrinum* (Single Tiger Lily). 3 to 4 feet. The old Tiger Lily; orange and spotted with black.

*L. tigrinum fl. pl.* (Double Tiger Lily). 4 to 5 feet. Similar to the above, excepting that the flowers are double.

*L. umbellatum*. Blooms from the middle to the last of June; colors range from deep red through all shades of crimson, rose, yellow, buff, etc.

### Japan Lilies

We wish these were hardier. The blossoms are large and coloring fine. They do very well in some places and in others are a complete failure. They are worthy of trial and, if successful, will repay any extra work expended. The three most desirable are:

*L. auratum* (The Gold-banded Lily). The flowers are white dotted crimson, with a broad gold band running through the center of each petal.

*L. speciosum album*. Pure white.

*L. speciosum rubrum*. Flowers are white, with a deep rosy or crimson band on each petal, with deeper colored spots between.



A.B.M.CO.

*Lillium Auratum*

Do not hesitate about taking up with us the question of Landscape Work. We will not overload or crowd your place, simply to sell your stock.



## DAHLIAS

The Dahlia is now taking its place in the front ranks of summer-flowering plants. This is largely due to the splendid new sorts that are being brought out in the Cactus and Decorative class, and we might also say the Single and Collarette. There is nothing else that can equal them in range of color and abundance of bloom. The Decorative and Single varieties are especially fine for cut-flowers. The roots we offer are all field-grown and will produce strong, flowering plants the first season.

**Soil and Care.** Any good, rich garden soil, not too wet, is all right. If not rich, fertilize freely, set 3 feet apart, and for best results allow but one stalk in a hill; keep well cultivated. In dry weather Dahlias are greatly benefited by a heavy mulching of leaf rot or short manure. After frost has destroyed the bloom, cut the stem off about three inches from the ground, and with a spade lift them from the bed. Expose to sun until they are well dried, then store the bulbs in a dry room or cellar, where they will not be reached by frost.

The following varieties are the cream of a long list, and are sure to give satisfaction:

### Cactus Dahlias

Are characterized by long, pointed, revolute petals. They are very graceful, without the stiff formality of the show class.

**Aegir.** The large, full flowers are borne on long stems; color rich, cardinal-red, distinct.

**Countess of Lonsdale.** Color salmon pink and amber, nicely blended.

**Earl of Pembroke.** Bright plum color, deep and velvety.

**F. Bartels.** Bright scarlet, showing a pretty violet shade when opening.

**Floradora.** Free flowering, good shape, color blood red.

**Gen. Buller.** Light maroon, long, narrow, twisted petals; each one tipped with white.

**Hunold.** Large size, full center, orange-scarlet.

**Keynes White.** A fine white of perfect shape.

**Kriemhilde.** One of the very best in cultivation. The outer petals are a delicate shell-pink, shading to white in the center; a good grower and free bloomer.

**Strahlein Krone.** Intense, rich cardinal-red; long, twisted petals; free bloomer.

**Star Fish.** Pure orange-scarlet.

**Volker.** Canary-yellow, borne on stiff stems well above the foliage.

### Decorative Dahlias

These have broader and heavier petals than the true cactus. As a class the flowers are larger and more striking, the plant is also of stronger growth; are fine for bouquets and cut-flower decorations; also magnificent in the garden.

**Catherine Duer.** Iridescent geranium-red. A favorite for cut flowers.

**Clifford W. Bruton.** Large, clear yellow, very fine.

**Frank L. Bassett.** Bright royal purple with blue shadings; large, fine form and a profuse bloomer.

**Goliath.** A free bloomer on good stems. Deep garnet red.

**Gigantea.** Extremely large, a pleasing shade of creamy white.

**Henry Patrick.** Large, pure white; strong grower and free bloomer; fine for cut flowers, as stems are long.

**Jack Rose.** Very dark crimson. Flower stems very stiff, blossoms early.

**Mrs. Roosevelt.** Very large silvery rose, perfectly double.

**Mrs. Winter.** Very large, pure white, a good sort.

**Perle de Lyon.** Pure white, perfectly formed, very free flowering; one of the best.

**Souvenir de Gustav Dozon.** Very large, often measuring 6 to 8 inches in diameter; a profuse bloomer; a good red.

**Sylvia.** White center, shading to pink on the outside petals; large and fine.

**William Agnew.** A rich, dazzling red; one of the very best.

**Wilhelm Miller.** Light crimson, purplish shading, free-flowering; distinct.



Cactus Dahlias



Dreer's White Dahlia.

### Show Dahlias

These include all the large, close-flowering varieties of a single color and those of which the ground color is lighter than edges or tips.

**A. D. Livoni.** A beautiful shell-pink with quilled petals, full to center; profuse bloomer.

**Cuban Giant.** Very large, ball-shaped, color bright maroon, early and a free bloomer.

**Client.** Deep, velvety crimson.

**Dreer's White.** Very large, full, and a free bloomer; by far the best white of its class.

**Pendant.** Bright crimson-maroon, produced on long, graceful stems.

**Snow.** Pure white, free bloomer.

### Fancy Dahlias

These include all striped, large-flowering varieties and those in which the ground color is darker than the edge or tips. They are, as a rule, very valuable. Often, however, they show but a single color.

**Amazon.** Yellow, edged red.

**Frank Smith.** Rich dark maroon tipped with pinkish white. Most perfect of the fancy class.

**Lottie Eckford.** White, striped and spotted pink and crimson.

**Startler.** Dark purple-maroon, tipped white.

**Uncertainty.** Varies from white, marbled blue and carmine to solid crimson-maroon on same plant; a fine sort.

### Pompon Dahlias

These include all the small, double-flowering varieties. The plant is a rather dwarf, stocky grower; is very free-flowering.

**Catherine.** Finest pure yellow.

**May Pierce.** Red and white.

**Snowlad.** The finest pure white.

**Vivid.** Bright scarlet, very fine.

### Single Dahlias

We have found the 20th Century to be by far the most satisfactory of the singles, and offer the whole list of this class.

**Twentieth Century.** Early in the season an intense rosy crimson shading gradually to almost white on the edges and a white halo around the disc. As the season advances, the flowers become lighter, changing to almost pure white suffused with soft pink.

**Crimson Century.** Rich deep velvet crimson shaded maroon, rose halo around yellow disk.

**Maroon Century.** Rich maroon, yellow disk.

**Pink Century.** Delicate soft pink.

**Scarlet Century.** Brilliant scarlet, with a golden disk.

**White Century.** Pure white with large heavy overlapping petals of good texture.

### Collarlette Dahlias

An entirely distinct type having a row of short petals around the disc which form a frill or collar and which are of an entirely different color from the rest of the flower.

**President Vigor.** Rich claret shading lighter towards the edges while the frill or collar is pure white.

**Exposition de Lyon.** Bright garnet, collar petals clear yellow. A gay flower.

**Maurice Revoire.** An attractive flower with broad petals of ox-blood-red with deeper stripe down the center and a pure white fringed collar.

### Peony Flowered Dahlias

This beautiful type has become very popular. The large, loose, semi-double flowers are usually produced on long stems, making them very desirable as cut flowers as well as for garden.

There is considerable variation in the different varieties of this class. Some have long curved or twisted petals, others are of the broad, flat type. We are listing a few of the standard sorts.

**America.** "A beautiful shade of apricot-orange; flowers beautifully formed." A free bloomer; very desirable.

**Bertha Von Suttner.** Salmon-pink, delicately overlaid with yellow. Flowers very large with twisted petals.

**Geisha.** The showiest and most attractive of its type. The color is a rich combination of scarlet and gold with a clear yellow center. The petals are peculiarly twisted and curved.

**Oregon Beauty.** Color a glowing fiery scarlet, flowers large and full. Seedling of Wm. Agnew.

**Queen Wilhelmina.** A large, fine, pure white with golden yellow center. Blossoms produced on long stems well above the foliage. Plant is a very vigorous grower.

**Sunrise.** A very attractive sort. Color a clear lively pink.

**King Leopold.** A very free bloomer. Flowers are borne well above the foliage on long, wiry stems, and are a dainty lemon-yellow.





### Conrad F. Meyer Rose

Hybrid Rosa Rugosa. The longer we grow these Hybrid Rugosas and the more we see of them, the more we are convinced that they are the coming rose for the Northwest. Their hardiness, good foliage, and free blooming qualities, certainly place them in the front rank. We have added three new varieties to our catalog list this season and have several more on trial. See page 42.

### Dahlias

We know of no flower in which there has been more improvements made in recent years than in the Dahlia. It would seem that there is no end to the new varieties that are introduced each season. Our aim is to get hold of the most promising and propagate from them. Be sure to dig and store in a dry frost proof place before hard freezing weather.

Dahlias can be planted any time after danger of frost is over, and under ordinary conditions will blossom in from six to eight weeks after they have been planted. It is always best to wait until the ground becomes thoroughly warmed.

This colored plate shows five different types of the Dahlia. The lower left hand blossom represents the Decorative; the two next above are Cactus; the white and red just above these are of the Show class; the small yellow one is a Pompon and the lower one at the right is of the Peony-flowered type.



Leading Types of Dahlias.





Hardy Phlox.

## Gladioli

There is nothing in the summer-flowering bulbs that is more attractive or satisfactory than the Gladioli. They will thrive in any good garden soil, but amply repay extra care and feeding by larger size and greater beauty of individual flower. Our list in both the named varieties and mixture includes the most desirable sorts. Bulbs should be planted 4 inches apart and from 3 to 4 inches deep.

What we have said of the Dahlia applies to the Gladioli as well. The new varieties being brought out are legion. There is nothing for a cut flower that can take their place. If cut when the lower blooms begin to open and kept in water, they will last from a week to ten days.

### Named Sorts

The following are selected from a long list and are all fine sorts:  
**America.** Soft, flesh pink, strong, healthy grower, individual flowers large. One of the best.

**Augusta.** White, with blue anthers.

**Baron Hulot.** A rich, deep, violet blue.

**Canary Bird.** Clear canary yellow.

**Ceres.** White, spotted purplish rose.

**Columbia.** Large, dark scarlet, blotched with bluish purple; fine.

### Hardy Perennial Phlox

These can be used with fine effect in shrub borders as well as in beds along drives. The improved varieties place this hardy plant in the front rank. We list only the best varieties having the clearest and most distinct colors.

The oldest forms gave washy purple hues. They were never pleasing garden colors. Now clear whites, pinks, carmines, reds, scarlets and crimson, with many intermediate shades, prevail.

Many very superb varieties are intermediate and of a wonderful and most beautiful color variation.

A good quality is long continuance in bloom. It begins to blossom in early summer and continues until late in the fall, sometimes showing a mass of bloom for three months.

The plant increases in size every year, and a well grown clump will send up a large number of stalks until you have a solid mass of color. Plants set in good soil, with proper care, will bloom the first year, but they will not do themselves justice until the second year. Flowering period, June to October.



Mixed Gladioli.



**Cardinal.** Brilliant cardinal red. Fine spikes. Large flowers.

**Chicago White.** Pure white with faint lavender streak in lower petal. One of the earliest to bloom.

**Eugene Scribe.** Tender rose, blazed carmine red.

**George Paul.** Enormous wide-open, amaryllis-like flowers of a rich ruby-garnet shade.

**Gil Blas.** Immense orchid-like flowers, of a salmon rose, with a fiery red blotch on a straw-colored ground.

**Henry Gilman.** Orange-scarlet, white bands.

**Jean Dieufaloy.** Creamy white, stained maroon, flowers large.

**Mottled Gem.** Large flower, mottled white, violet and scarlet.

**Mohonk.** Large, deep dark pink, with spotted throat, shaded orange and flaked maroon.

**Mrs. Beecher.** Deep, rosy crimson, white throat.

**Mrs. Francis King.** Light scarlet or flame color; very effective.

**Nezinscott.** Bright red, white mottling in throat.

**Peace.** Flowers very large, born on strong, upright spikes. Almost pure white. Fine for cutting purposes.

**Princeps.** A strong, vigorous grower, with large, wide-open flowers, ranging from 5 to 6 inches in diameter, of a rich dazzling scarlet, marked with white on the lower petals. A splendid sort.

**Snowbank.** White with red stain at base of petal.

**Senateur Volland.** Large flowers of pure blue, with dark violet blotch and yellow striped with blue.

**William Falconer.** Large spikes and immense flowers; fine pink and blush mottled.

### Mixed Gladiolus

We make up mixtures to suit the needs and tastes of our customers. One can have them in either the light or dark colors or both.

There are no inferior sorts go into these mixtures. We have two mixtures as shown in price list. The XX is made up of the newer introductions. The regular mixed are made up of the older sorts. Where one does not care especially for named sorts, these mixtures will give excellent satisfaction.

### CANNAS

The Canna provides the nearest approach to the rich tropical effects that the north can supply. They grow rapidly and bloom for a long season, succeeding in sunny positions in almost any kind of soil and responding quickly to liberal treatment by gorgeousness of bloom, size of foliage and height of stems.

The only drawback to the growing of Cannas is the difficulty of keeping them over winter. If allowed to get too dry they shrivel and die; if kept too wet they rot, but they make such a tropical effect planted in beds or in borders that it is well worth the little cost even if new plants had to be purchased every year. Give us the colors you want and whether tall or dwarf varieties and we will make good selection. Round beds are very effective. It takes 19 plants for a bed 7 feet in diameter and 37 plants for a bed 10 feet in diameter. One plant in center and first row 18 inches from center plant and 18 inches apart in row takes 6 plants for first row and 12 plants for second row, making 19 plants for the 7-foot bed, and 18 plants for third row, making 37 plants for 10-foot bed.

### SPOTTED CALLA

A summer-blooming variety of the always-popular Calla. The flowers are smaller than those of the common Calla and are creamy white; foliage green and strikingly marked with irregular blotches of white. Fine for outdoor vases or flower pots, blossoming in a short time after planting.

### TUBEROSE

The most fragrant and beautiful of summer flowers.

**Excelsior, Double Pearl.** Double, pure white.



Canna Planting.

# HOW AND WHEN TO SPRAY

PLANT	First Application	Second Application	Third Application	Fourth Application	Fifth Application
<b>Apple—</b> Canker worm, codling moth, scab.	Spray before buds start, using copper sulphate solution.	After the blossoms have formed, but before they open, Bordeaux and Arsenate of Lead.*	Within a week after blossoms have fallen, Bordeaux and Arsenate of Lead.*	10 to 14 days later, repeat.	10 to 14 days later, Bordeaux.
<b>Cherry—</b> Rot, aphid, curculio and slug.	Before buds start, use copper sulphate solution. For aphid, kerosene emulsion.	When fruit has set, Bordeaux and Arsenate of Lead.*	10 to 12 days later if signs of rot appear, repeat.	10 to 12 days later, Bordeaux.	Repeat if necessary.
<b>Currant—</b> Worms, mildew.	As soon as worms are seen, Arsenate of Lead*	If they reappear, repeat, adding Bordeaux for mildew.	If worms still trouble, hellebore.		
<b>Gooseberry—</b> Mildew, worms.	As leaves open, Bordeaux and Arsenate of Lead*	In 10 to 14 days, repeat with both.	10 to 14 days later, repeat if necessary.	If mildew persists after crop is gathered, Bordeaux.	
<b>Grape—</b> Flea-beetle, fungous diseases.	Before buds burst, copper sulphate solution and Arsenate of Lead.*	When first leaves are half grown, Bordeaux and Arsenate of Lead.*	As soon as fruit has set, repeat.*	10 to 14 days later, Bordeaux mixture if disease is present.	If necessary, Bordeaux.
<b>Pear—</b> Leaf blight, codling-moth, scab, and psylla.	Before buds start, copper sulphate solution.	Within a week after blossoms fall, Bordeaux and Arsenate of Lead.*	10 to 12 days later, repeat.	10 to 16 days later, Bordeaux.	10 to 16 days later, Bordeaux.
<b>Plum—</b> Black knot, rot and all fungous disease, curculio.	As buds start, copper sulphate solution. Cut out knot and burn.	When fruit has set, Bordeaux and arsenate of lead.*	10 to 12 days later, repeat.	10 to 20 days later, Bordeaux.	Bordeaux as is necessary.

## SPECIAL NOTES

For **Black Knot** on cherries and plums, cut out and destroy by burning the diseased parts as soon as discovered.

For **Aphid** on all plants, use kerosene emulsion or Ivory soap.

If **Red Rust** appears on Raspberries or Blackberries, the entire stools affected should be cut out and burned.

**Young Plants** should be sprayed with Bordeaux mixture at the time of the first and third applications to bearing plants.

## EXPLANATION

Whenever an asterisk (\*) is used, it cautions against spraying with poison while the plants are in blossom; a dagger (†) indicates that there is danger of making an application within three weeks of the time the fruit is to be used as food. While the number of applications recommended will be found desirable, in seasons when the fungi are less troublesome a smaller number may often suffice. **Always strain ingredients used into the sprayer to avoid clogging the sprayer.**

## SPRAYING

Each year's experience shows more plainly that to grow nice, smooth fruit we must spray. The main things for us to combat are the

**Biting Insects**, such as codling-moth (apple worm), currant worm, curculio, etc.

**Sucking Insects**—the green, red and black aphid.

**Fungus**—apple scab, plum rot, currant and gooseberry mildew. While we may not be able to do away with these pests altogether, we can, to a great extent, control them and successfully grow fine fruit. One must begin in season and do the work intelligently and thoroughly in order to be successful.

The following are the best known remedies at the present time:

### INSECTICIDES

In place of Bordeaux Mixture you can use Lime Sulphur Solution, which may be used as a dormant spray for all scale insects, using about 2 to 2½ gallons of commercial Lime Sulphur solution to fifty gallons of water, before trees leaf out in spring. This is also a good fungicide.

This can also be used as a summer spray, using, however, only one and one-half gallons to fifty gallons of water. Arsenate of Lead can be used with this solution just the same as with Bordeaux Mixture.

Arsenate of Lead comes in two forms—as a paste and as a dry powder. Use about three pounds of the paste or one and one-half pounds of the dry to fifty gallons of water. Time of spraying the same as with Bordeaux.

White Hellebore (fresh) .....1 ounce

Water .....2 gallons

Can be used on currants and gooseberries after fruit is formed. No danger in using such fruit.

### For Sucking Insects—

**Kerosene Emulsion.**—Dissolve one pound of hard soap in two gallons of boiling water. Remove from

fire and while hot add two quarts of kerosene. Churn or shake the mixture until it assumes a creamy consistency. This should be done while hot. To this add six gallons of water before using.

### FUNGICIDES

**Copper Sulphate Solution.**—To be used on dormant plants, but never on growing plants—

Copper Sulphate .....2 pounds  
Water .....50 gallons

### Bordeaux Mixture—

Copper Sulphate .....5 pounds  
Fresh Lime .....5 pounds  
Water .....50 gallons

The copper sulphate and lime should be dissolved and prepared in separate vessels (wood or fiber). After the sulphate is dissolved and the lime slaked, they should be thoroughly mixed. The color of the mixture should be an intense blue.

When spraying for both biting insects and fungus, the Arsenate of Lead and Bordeaux Mixture may be mixed and in this way perform two operations at once.



# The Coe, Converse & Edwards Co.

## PRICE LIST

The following prices are for strictly first class stock, well packed so as to arrive at the purchaser's railroad station in good condition. Freight or express to be paid by the purchaser.

Five plants of one variety at 10 rates; 50 at hundred rates; and 500 at thousand rates.

### STRAWBERRIES.

Good strong freshly dug plants for **SPRING DELIVERY ONLY.**

If pot plants are wanted for fall planting, write for prices, giving number wanted.

	Per 25	Per 100	Per 1000
(By express)			
<b>GENERAL ASSORTMENT, Standard varieties</b>	\$0 25	\$0 60	\$ 4 00
<b>DR. BURRELL</b>	50	1 50	10 00
<b>FALL or EVERBEARING</b>	1 00	2 50	15 00

If wanted sent by mail, add 25c per 100 for postage.

### RASPBERRIES.

Good strong, 1 year plants, by express or freight.

	Per 10	Per 100	Per 1000
<b>CONRATH, Cumberland, Kansas, Gregg, Munger, Plum Farmer, Older and Columbian</b>	35	1 50	12 00
<b>Royal Purple</b>	50	3 00	
<b>Cuthbert, King, Marlboro, Miller, Golden Queen</b>	35	1 50	10 00
<b>Eaton, Sunbeam</b>	45	2 00	
<b>St. Regis, Ohta</b>	50	2 50	

### BLACKBERRIES.

	Per 10	Per 100	Per 1000
<b>STRONG PLANTS</b>			
<b>Ancient Briton, Eldorado, Snyder</b>	45	2 50	20 00
<b>Lucretia Dewberry, 2 yr.</b>	65	4 00	

### CURRENTS.

Strong 2 yr., No. 1.

	Each	Per 10	Per 100
<b>Red Dutch, Victoria</b>	10	90	6 00
<b>Cherry, Fays Prolific, Red Cross, Pomona, White Grape, Wilder, Lee's Prolific, Black Champion</b>	15	1 25	8 00
<b>Perfection</b>	25	2 00	15 00

For 1 yr. No. 1, and on large lots, send list for special prices.

### GOOSEBERRIES.

2 yr., No. 1.

	Each	Per 10	Per 100
<b>Downing, Red Jacket</b>	\$ 15	\$1 25	\$ 9 00
<b>Industry</b>	25	2 00	

### GRAPES.

2 yr., No. 1.

	Each	Per 10	Per 100
<b>Agawam</b>	\$ 15	\$1 25	\$ 8 00
<b>Beta</b>	20	1 75	12 00
<b>Brighton</b>	15	1 25	8 00
<b>Concord</b>	12	90	6 00
<b>Clinton</b>	15	1 25	8 00
<b>Campbells Early</b>	25	2 00	15 00
<b>Delaware</b>	20	1 75	10 00
<b>Lindley</b>	15	1 25	8 00

	Each	Per 10	Per 100
<b>Moore's Early</b>	15	1 25	8 00
<b>Moore's Diamond</b>	15	1 25	8 00
<b>Niagara</b>	15	1 25	8 00
<b>Salem</b>	20	1 75	10 00
<b>Wilder</b>	20	1 75	10 00
<b>Worden</b>	15	1 25	8 00

### APPLES AND CRAB APPLES.

Strictly First-Class.

	Each	Per 10	Per 100
<b>5-7 ft., Standard Sorts</b>	\$0 30	\$2 50	\$18 00
<b>4-5 ft., Standard Sorts</b>	20	1 75	14 00
<b>3-4 ft., Standard Sorts</b>	15	1 25	10 00
<b>Liveland, Plumb Cider, Golden Russet, Delicious, 5-7 ft.</b>	35	3 25	25 00
<b>Windsor Chief and Forest Winter, 5-7 ft.</b>	50	4 50	
<b>Sweet Russet C., Tetofsky, 5-7 ft.</b>	40	4 00	
<b>Pearl Sweet, 5-7 ft.</b>	75		

We can usually furnish extra heavy trees of most varieties at a slight advance in price. Write stating number and size wanted and we will quote prices.

### CHERRIES.

	Each	Per 10	Per 100
<b>Early Richmond and Montmorency XX</b>	\$0 60	\$5 50	
<b>Regular Grade No. 1 trees, 4-6 ft., varieties described in catalog.</b>	50	4 50	35 00

### PEACHES.

	Each	Per 10	Per 100
<b>5-6 ft.</b>	\$0 35	\$3 25	
<b>4-5 ft.</b>	30	2 50	

### PLUMS.

	Each	Per 10	Per 100
<b>Native sorts, 5-7 ft.</b>	\$0 50	\$4 50	\$35 00
<b>Native sorts, 4-5 ft.</b>	35	3 25	25 00
<b>Japanese and European, 5-7 ft.</b>	40	3 50	30 00
<b>Japanese and European, 4-5 ft.</b>	30	2 50	20 00
<b>Hansen Hybrids, 5-7 ft.</b>	60	5 50	
<b>Hansen Hybrids, 4-5 ft.</b>	50	4 50	

### PEARS.

	Each	Per 10	Per 100
<b>Standards, 5-7 ft.</b>	\$0 40	\$3 50	\$30 00
<b>Dwarf, 3-5 ft.</b>	30	2 50	

### ASPARAGUS.

2 yr., No. 1.

	Per 25	Per 100	Per 1000
<b>Conovers Colossal, Palmetto, Col. Mammoth White</b>	\$0 50	\$1 00	\$ 6 00
<b>Bonvallet Giant</b>	60	1 25	7 00

### RHUBARB.

	Each	Per 10	Per 100
<b>Queen, Victoria, Linnaeus and Mammoth</b>	\$0 15	\$1 25	\$ 7 00

**HORSE RADISH.**

	Per 10	Per 100	Per 1000
Maliner Kren	\$0 20	\$1 00	\$ 7 00

**NUT TREES.**

	Each	Per 10	Per 100
Black Walnut, 5-6 ft.	\$0 45	\$4 25	\$35 00
Black Walnut, 6-8 ft.	65	6 00	50 00
Butternut, 4-6 ft.	50	4 50	40 00
Butternut, 6-8 ft.	75	7 00	60 00

**SHADE TREES.  
DECIDUOUS TREES.**

All Nursery Grown and No. 1.

Note:—To avoid any misunderstanding regarding the sizes and grades of trees, we make the following explanation: The 6-8 foot grade takes in trees that are 6 feet and over and up to 8 feet, but does not include the 8 foot trees. The 8 to 10 foot grade takes in those that are 8 feet and over and under 10 feet, but not the 10 foot, and so on through all the grades. For example, should you wish an American Elm 10 ft. high and 1½ inch in diameter (or caliper), you must order the 10-12 ft. tree, 1½-2 inch, as the 8 to 10 ft. grade does not include the 1½ inch or 10 ft. trees.

**ALDER**

	Each	Per 10	Per 100
Common or European, 6-8 ft.	\$0 60	\$5 00	
Imperial Cut Leaf, 6-8 ft.	1 00	9 00	

**ASH**

Am. White, 6-8 ft.	50	4 50	35 00
Am. White, 8-10 ft.	60	5 50	45 00

**BEECH**

American, 3-4 ft.	1 25		
American, 4-5 ft.	1 50		
Rivers Purple Leaf, 2-3 ft.	1 00		
Rivers Purple Leaf, 3-4 ft.	1 50		

**BIRCH**

European White, 5-6 ft.	40	3 50	30 00
European White, 6-8 ft.	50	4 50	32 00
Canoe or Paper, 5-6 ft.	75	7 00	
Canoe or Paper, 6-8 ft.	1 00	9 00	
Cut Leaf Weeping, 5-6 ft.	1 00	9 00	
Cut Leaf Weeping, 6-8 ft.	1 25	11 00	
Cut Leaf Weeping, 8-10 ft.	1 75		

**CATALPA**

Speciosa, 6-8 ft.	40	3 50	30 00
Speciosa, 8-10 ft.	50	4 50	35 00
Speciosa, 10-12 ft.	75	7 00	50 00
Bungei Grafted, 6-7 ft., 1 yr. head.		\$1.00 each.	
Bungei Grafted, 6-7 ft., 2 yr. head.		\$1.50 each.	

**CRAE**

Bechtel's Dbl. Flr., 2-3 ft.	60	5 50	45 00
Bechtel's Dbl. Flr., 3-4 ft.	80	7 50	
Bechtel's Dbl. Flr., 4-5 ft.	1 00	9 00	
Bechtel's Dbl. Flr., 5-6 ft.	1 50		

**DOGWOOD (Cornus)**

	Each	Per 10	Per 100
Cornus Florida, 3-4 ft.	75		
Cornus Florida, 4-5 ft.	1 00		

**ELM**

Am. White, 5-6 ft.	35	3 00	25 00
Am. White, 6-8 ft.	50	4 50	35 00
Am. White, 8-10 ft.	65	6 00	50 00
Am. White, 1¼-1½ in. cal.	85	8 00	68 00
Am. White, 1½-1¾ in. cal.	1 00	9 00	
Am. White, 1¾-2 in. cal.	1 50	14 00	

On larger sizes send list of wants for prices.

Camperdown Weeping,			
6-7 ft. stems, 1 yr. head.	1 25		
6-7 ft. stems, 2 yr. head.	1 50		

**HACKBERRY**

6-8 ft.	75		
---------	----	--	--

**HORSE CHESTNUT**

American or Buckeye, 4-6 ft.	1 00		
European White Flr., 5-6 ft.	75	7 00	
European White Flr., 6-8 ft.	1 00	9 00	
European White Flr., 8-10 ft.	1 25		
Red Flowering, 4-5 ft.	1 50		
Dbl. White, 4-5 ft.	1 25		

**HONEY LOCUST**

5-6 ft.	25	2 00	18 00
6-8 ft.	35	3 00	25 00

(For small sizes, see hedge plants.)

**LARCH**

European, 2-3 ft.	30	2 50	
European, 3-4 ft.	40	3 50	

**LINDEN**

American, 6-8 ft.	75	7 00	
American, 8-10 ft.	1 25	11 50	
European, 6-8 ft.	75	7 00	
European, 8-9 ft.	1 00	9 00	

(On larger sizes, send list for prices.)

Each Per 10 Per 100

**MAPLE**

Silver, 5-6 ft.	25	2 00	18 00
Silver, 6-8 ft.	35	3 00	25 00
Silver, 8-10 ft.	50	4 50	35 00
Silver, 10-12 ft.	75	7 00	50 00
Ash Leaf Box Elder, 5-6 ft.	35	3 00	25 00
Ash Leaf Box Elder, 6-8 ft.	50	4 50	35 00
Ash Leaf Box Elder, 8-10 ft.	75	7 00	
Ash Leaf Box Elder, 10-12 ft.	1 00	9 00	
Norway, 6-8 ft.	75	7 00	50 00
Norway, 8-10 ft.	1 00	9 50	75 00
Norway, 10-12 ft.	1 50	13 50	
Schwedleri (Purple Leaf) 6-8 ft.	1 25	11 50	
Schwedleri (Purple leaf) 8-10 ft.	2 00	18 50	
Wier's C. L. Maple, 6-8 ft.	75	7 00	
Wier's C. L. Maple, 8-10 ft.	1 00	9 50	
Reitenbach Purple Leaf, 6-8 ft.	1 50		
Red or Scarlet, 6-8 ft.	1 25		
Siberian or Ginnale, 3-4 ft.	60		
Siberian or Ginnale, 4-5 ft.	75		
Sugar, 6-8 ft.	75	7 00	
Sugar, 8-10 ft.	1 00	9 50	

In nearly all the Maples, we have larger sizes and will be pleased to price list of wants.

**MULBERRY**

	Each	Per 10	Per 100
Russian, 5-6 ft.	50	4 50	
Russian, 6-8 ft.	60	5 50	
Tea's Weeping, 6-7 ft. stems, 1 yr. head.	1 25		
Tea's Weeping, 6-7 ft., 2 yr.	1 50		

**MOUNTAIN ASH**

European, 5-6 ft.	50	4 50	
European, 6-8 ft.	75	7 00	50 00
European, 8-10 ft.	1 00	9 00	
Oak Leaf, 6-8 ft.	75	7 00	

**OAKS**

White Oak, 5-6 ft.	1 00	9 50	
White Oak, 6-8 ft.	1 50	14 00	
Burr Oak, 5-6 ft.	1 00	9 50	
Burr Oak, 6-8 ft.	1 25	11 50	
Pin Oak, 5-6 ft.	1 00	9 50	
Pin Oak, 6-8 ft.	1 25	11 50	
Red Oak, 5-6 ft.	1 00	9 50	
Red Oak, 6-8 ft.	1 25	11 50	
Black Oak, 5-6 ft.	1 00	9 50	
Black Oak, 6-8 ft.	1 25	11 50	

**POPLAR**

Carolina or Norway, 5-6 ft.	25	2 25	18 00
Carolina or Norway, 6-8 ft.	40	3 50	25 00
Carolina or Norway, 8-10 ft.	50	4 50	35 00
Carolina or Norway, 10-12 ft.	75	7 00	
Golden, 6-8 ft.	40	3 50	
Golden, 8-10 ft.	50	4 50	

**RED BUD (Cercis)**

4-5 ft.	65	6 00	
6-7 ft.	80	7 50	

**GINKGO (Salisburia)**

6-8 ft.	1 00	9 00	
---------	------	------	--

**SYCAMORE**

American, 6-8 ft.	50	4 50	
Oriental, 6-8 ft.	60	5 00	

**TREE OF HEAVEN (Ailanthus)**

Glandulosa, 6-8 ft.	60	5 00	
Glandulosa, 8-10 ft.	75	7 00	

**THORN (Crataegus)**

American White, 3-4 ft.	60	5 00	
Cockspur White, 3-4 ft.	60	5 00	
Double Flowering, 3-4 ft.	60	5 00	
Double Scarlet, 3-4 ft.	60	5 00	
Double Red, 3-4 ft.	60	5 00	

**WILLOW**

Wisconsin Weeping, 6-8 ft.	50	4 50	
Wisconsin Weeping, 8-10 ft.	65	6 00	
Golden, 6-8 ft.	40	3 50	
Golden, 8-10 ft.	50	4 50	

**EVERGREENS.**

Evergreens, all one or more times transplanted. If wanted with ball of dirt, add 15 cents each on all sizes up to 2 ft.; 2-3 ft., 20c; and 3-4 ft., 25c.

**ARBORVITAE**

	Each	Per 10	Per 100
American, 10-12 in.	18	1 50	12 50
American, 12-18 in.	25	2 00	15 00
American, 18-24 in.	30	2 50	20 00
American, 2-3 ft.	50	4 50	35 00
American, 3-4 ft.	75	7 00	
Golden, 18-24 in.	1 25	11 00	
Golden, 2-3 ft.	2 00	19 00	
Golden Dwarf, 12-18 in.	60	5 50	
Globe, 12-18 in.	1 00	9 00	
Pyramidalis, 18-24 in.	60	5 50	
Pyramidalis, 2-3 ft.	75	7 00	
Pyramidalis, 3-4 ft.	1 25	11 00	



	Each	Per 10	Per 100
Siberian, 18-24 in.....	50	4 50	
Siberian, 2-3 ft.....	75	7 00	
<b>JUNIPER</b>			
Irish, 2-3 ft.....	75	7 00	
Savin, 12-18 in.....	50	4 50	
Savin, 18-24 in.....	75	7 00	
<b>PINE</b>			
Austrian, 18-24 in.....	50	4 50	
Austrian, 2-3 ft.....	75	7 00	
White, 2-3 ft.....	75	7 00	
White, 3-4 ft.....	1 00	9 00	
Scotch, 18-24 in.....	25	2 00	18 00
Scotch, 2-3 ft.....	35	3 00	25 00
Scotch, 3-4 ft.....	75	7 00	
Dwarf Mountain, 12-15 in.....	75	7 00	
Dwarf Mountain, 15-18 in.....	1 00	9 00	
<b>SPRUCE</b>			
White, 18-24 in.....	50	4 50	
White, 2-3 ft.....	75	7 00	
Norway, 18-24 in.....	25	2 00	18 00
Norway, 2-3 ft.....	45	3 50	30 00
Norway, 3-4 ft.....	75	7 00	
Hemlock, 18-24 in.....	1 00		
Hemlock, 2-3 ft.....	1 50		
<b>Colorado Blue</b>			
Koster's, 18-24 in.....	2 00		
Koster's 2-3 ft.....	3 00		
(Larger sizes up to \$20.00 each)			
Balsam Fir, 18-24 in.....	50	4 50	
Balsam Fir, 2-3 ft.....	75	7 00	

**SHRUBS.**

The sizes in shrubs vary according to variety. Some are as fully developed at 2 ft. as others are at 3 or 4 ft. We have extra heavy specimen plants in most varieties that will give immediate effect, that can be furnished at a slight additional cost. Send list of wants for prices.

	Each	Per 10	Per 100
Acacia, 2-3 ft.....	\$0 35	\$3 00	
Almond, Flowering, both pink & white, 2-3 ft.....	35	3 00	
Athens, Rose of Sharon, 2-3 ft.....	25	2 00	
3-4 ft.....	35	3 00	
<b>BARBERRY</b>			
Thunberg, 15-18 in.....	20	1 50	12 00
18-24 in.....	25	2 00	15 00
24-30 in.....	35	3 00	20 00
Common or Green Leaf, 2-3 ft.....	25	2 00	15 00
3-4 ft.....	35	3 00	20 00
Purple Leaf, 2-3 ft.....	25	2 00	15 00
3-4 ft.....	35	3 00	20 00
(For smaller sizes see hedge plants)			
Buckthorn, Common, 2-3 ft.....	25	2 00	15 00
3-4 ft.....	35	3 00	20 00
(For smaller sizes see hedge plants)			
Caragena Arborescens, 2-3 ft.....	25	2 00	
Calycanthus Florida, 2-3 ft.....	35	3 00	
Clethra, Alnifolia, 18-24 in.....	30	2 50	
<b>CURRENT</b>			
Yellow Flowering, 2-3 ft.....	25	2 00	
Crandall, 2-3 ft.....	25	2 00	
Crimson Flowering, 2-3 ft.....	30	2 50	
<b>DOGWOOD (Cornus)</b>			
Cornelian Cherry, 2-3 ft.....	25	2 00	
Spaethii (Aurea), 2-3 ft.....	50	4 50	
Siberica, 2-3 ft.....	25	2 00	15 00
3-4 ft.....	35	3 00	20 00
Stolonifera, 2-3 ft.....	25	2 00	
3-4 ft.....	35	3 00	
Elegantissima, 2-3 ft.....	50	4 50	
<b>DEUTZIA</b>			
Crenata Fl. Pl., 2-3 ft.....	25	2 00	15 00
Pride of Rochester, 2-3 ft.....	25	2 00	15 00
Gracilis, 15-18 in.....	25	2 00	15 00
<b>EUONYMOUS</b>			
Alatus, 2-3 ft.....	60	5 00	
3-4 ft.....	75	7 00	
Autropurpurea (Wahoo), 2-3 ft.....	35	3 00	
European, 2-3 ft.....	25	3 00	
<b>ELEAGNUS</b>			
Angustifolia (Russian Olive), 2-3 ft.....	25	2 00	
3-4 ft.....	35	3 00	
Longipes, 2-3 ft.....	35	3 00	
<b>ELDER (Sambucus)</b>			
Common (Canadensis), 2-3 ft.....	30	2 50	
Golden, 2-3 ft.....	30	2 50	20 00
3-4 ft.....	35	3 00	
Variegated, 2-3 ft.....	35	3 00	
Cut Leaf, 2-3 ft.....	35	3 00	
Redberried, 2-3 ft.....	25	3 00	
<b>FORSYTHIA</b>			
Fortunei, 2-3 ft.....	25	2 00	

	Each	Per 10	Per 100
Intermedia, 2-3 ft.....	25	2 00	
Suspensa, 2-3 ft.....	25	2 00	
Viridissima, 2-3 ft.....	25	2 00	
<b>FRINGE TREE (Chionanthus)</b>			
White Fringe, 2-3 ft.....	50	4 50	
Purple (See Sumas)			
<b>HYDRANGEA</b>			
Arborescens Grand, Alba, 18-24 in.....	30	2 50	20 00
2-3 ft.....	40	3 50	25 00
Paniculata Grandiflora, 2-3 ft.....	30	2 50	20 00
3-4 ft.....	40	3 50	30 00
Paniculata Grandiflora, tree form, 3-4 ft.....	65	6 00	
4-5 ft.....	85	8 00	
Hippophez, Rhamnoides, 2-3 ft.....	35	3 00	
<b>HAZEL (Filbert)</b>			
Common American, 2-3 ft.....	25	2 00	
<b>HONEYBUCKLE (Lonicera)</b>			
Fragrantissima, 2-3 ft.....	30	2 50	
Bella Albida, 2-3 ft.....	30	2 50	20 00
3-4 ft.....	35	2 50	
Morrowii, 2-3 ft.....	30	2 00	18 00
3-4 ft.....	35	3 00	25 00
Tartarica Pink, 2-3 ft.....	25	2 00	15 00
3-4 ft.....	30	2 50	20 00
Grandiflora, 2-3 ft.....	25	2 00	15 00
3-4 ft.....	35	3 00	25 00
<b>KERRIA</b>			
Japonica, 2-3 ft.....	35	3 00	
<b>LILAC (Syringa)</b>			
Persian Purple, 2-3 ft.....	40	3 50	
Persian White, 2-3 ft.....	40	3 50	
Rothomagensis, 2-3 ft.....	40	3 50	
Common Purple, 2-3 ft.....	25	2 00	15 00
Common Purple, 3-4 ft.....	30	2 50	18 00
Common White, 2-3 ft.....	25	2 00	15 00
3-4 ft.....	30	2 50	20 00
Named Sorts, Single & Double,			
2-3 ft.....	55	5 00	35 00
3-4 ft.....	70	6 50	
<b>PLUM (Flowering)</b>			
Prunus Pissardi, 4-5 ft.....	60	5 50	
5-6 ft.....	75	7 00	
Prunus Triloba, 2-3 ft.....	50	4 50	
3-4 ft.....	75	7 00	
Prunus Cistena, 3-4 ft.....	1 00		
<b>PRIVET (Ligustrum)</b>			
Amor (Amurensis) North, 2-3 ft.....	25	2 00	15 00
3-4 ft.....	30	2 50	20 00
Polish, 2-3 ft.....	30	2 50	20 00
3-4 ft.....	35	3 00	25 00
Regalianum, 18-24 in.....	25	2 00	18 00
2-3 ft.....	35	3 00	25 00
(For smaller sized privets, see hedge plants.)			
<b>QUINCE (Cydonia)</b>			
Japan, 18-24 in.....	20	2 00	
2-3 ft.....	30	2 50	
<b>RHODOTYPOS</b>			
Kerrioides, 2-3 ft.....	30	2 50	
<b>SYRINGA (Philadelphus)</b>			
Coronarius, 2-3 ft.....	30	2 50	20 00
Double Flowering, 2-3 ft.....	30	2 50	
Golden Leaf, 18-24 in.....	25	2 00	
2-3 ft.....	30	2 50	
Grandiflora, 2-3 ft.....	25	2 00	15 00
3-4 ft.....	30	2 50	20 00
Lemoine Erectus, 2-3 ft.....	30	2 50	20 00
3-4 ft.....	35	3 00	
<b>SPIREA</b>			
Arguta, 2-3 ft.....	30	2 50	
Anthony Waterer, 18-24 in.....	30	2 50	20 00
Billardi, 2-3 ft.....	25	2 00	18 00
Callosa Alba, 18-24 in.....	30	2 50	20 00
Callosa Rubra, 18-24 in.....	30	2 50	
Opulifolia, 2-3 ft.....	30	2 50	20 00
3-4 ft.....	35	3 00	25 00
Opulifolia Aurea, 2-3 ft.....	30	2 50	20 00
3-4 ft.....	35	3 00	25 00
Prunifolia, 2-3 ft.....	30	2 50	
Sorbifolia, 2-3 ft.....	35	3 00	
Van Houttei, 2-3 ft.....	25	2 00	15 00
3-4 ft.....	30	2 50	20 00
<b>SNOWBERRY (Symphoricarpus)</b>			
Racemosus (White), 2-3 ft.....	25	2 00	18 00
3-4 ft.....	30	2 50	
Vulgaris (Coral Berry), 2-3 ft.....	25	2 00	18 00
3-4 ft.....	30	2 50	20 00
<b>SUMAC (Rhus)</b>			
Dwarf (Copallina), 2-3 ft.....	50	4 50	
Purple Fringe (Cotinus), 2-3 ft.....	30	2 50	
3-4 ft.....	40	3 50	
Staghorn Typhina, 2-3 ft.....	30	2 50	
Cut Leaf Typhina Lae., 2-3 ft.....	30	2 50	

	Each	Per 10	Per 100
3-4 ft.....	40	3 50	
Cut Leaf <i>Glabra</i> Lac., 18-24 in.	60	5 50	
<b>TAMARIX</b>			
<i>Amurensis</i> , 2-3 ft.....	30	2 50	
3-4 ft.....	40	3 50	
<b>VIBURNUM</b>			
<i>Cassinoides</i> , 2-3 ft.....	50	4 50	
<i>Dentatum</i> , 2-3 ft.....	30	2 50	
<i>Lentago</i> , 2-3 ft.....	40	3 50	
<i>Lantana</i> , 2-3 ft.....	30	2 50	
<i>Opulus</i> H. B. Cranberry, 2-3 ft.	30	2 50	15 00
3-4 ft.....	35	3 00	25 00
<i>Opulus Sterilis</i> Snowball, 2-3 ft.	30	2 50	20 00
3-4 ft.....	35	3 00	
<i>Plicatum</i> , 2-3 ft.....	40	3 50	
<i>Tomentosum</i> , 2-3 ft.....	40	3 50	
<b>WEIGELA</b>			
<i>Candida</i> , 2-3 ft.....	30	2 50	
<i>Desboisi</i> , 2-3 ft.....	30	2 50	
<i>Eva Rathke</i> , 2-3 ft.....	35	3 00	
3-4 ft.....	50	4 50	
<i>Rosa</i> , 2-3 ft.....	30	2 50	20 00
3-4 ft.....	40	3 50	30 00
<i>Variagated Leaf</i> , 2-3 ft.....	30	2 50	
<b>WITCH HAZEL</b>			
<i>Virginiana</i> , 2-3 ft.....	30	2 50	

**CLIMBING VINES.**

	Each	Per 10	Per 100
<b>ACTINIDIA</b> , 2 yr. No. 1			
<i>Arguta</i> .....	\$0 50	\$4 50	
<b>AMPELOPSIS</b> , 2 yr. No. 1			
<i>Quinquefolia</i> , Am. Ivy.....	25	2 00	\$15 00
<i>Quinquefolia</i> , Am. Ivy XX.....	30	2 50	20 00
<i>Engelmannii</i> .....	25	2 00	15 00
<i>Engelmannii</i> XX .....	30	2 50	20 00
<i>Veitchii</i> , Boston Ivy.....	30	2 50	
<i>Veitchii</i> , Boston Ivy XX.....	35	3 00	
<b>ARISTOLOCHIA</b>			
<i>Dutchman Pipe</i> , 2 yr.....	50	4 50	
<i>Dutchman Pipe</i> , XX.....	65	6 00	
<b>CELASTRUS</b> Scandens			
<i>Bittersweet</i> , 2 yr. No. 1.....	30	2 50	
<b>CLEMATIS</b>			
Large Flowering sorts, 2 yr.			
No. 1 .....	60	5 50	
Small Flowering sorts, 2 yr.			
No. 1 .....	30	2 50	
Small Flowering sorts XX, 2 yr.			
No. 1 .....	50	4 50	
<b>LYCIUM</b>			
<i>Chinese Matrimony Vine</i> , 2 yr.			
No. 1 .....	30	2 50	
<b>HONEYSUCKLE</b> (Climbing)			
<i>Monthly</i> Fragrant, 2 yr. No. 1..	30	2 50	
<i>Hall's Japan</i> , 2 yr. No. 1.....	25	2 00	
<i>Scarlet Trumpet</i> , 2 yr. No. 1..	25	2 00	
<i>Sullivanti</i> , 2 yr. No. 1.....	30	2 50	
<b>MYRTLE</b> (Periwinkle)			
<i>Vinea Minor</i> , good strong plants	15	1 20	
<b>TRUMPET FLOWER</b>			
<i>Grandiflora</i> , 2 yr. No. 1.....	30	2 50	
<i>Radicans</i> , 2 yr. No. 1.....	25	2 00	
<b>WISTARIA</b>			
<i>Chinese Purple</i> , 2 yr. No. 1....	35	3 00	
<i>Chinese White</i> , 2 yr. No. 1....	50	4 50	

**PLANTS FOR HEDGES AND SCREENS.**

The following plants are healthy, thrifty and suitable for lining out or hedge planting when cheaper stock than the sizes given in regular list is desired.

	Per	Per
	50	100
<b>BARBERRY</b>		
Common and Purple Leaf, 18-24 in. ....		
	7 50	12 00
Thunberg, 10-15 in.....		
	6 00	10 00
<b>BUCKTHORN</b> , 18-24 in.....		
	5 00	8 00
<b>HONEY LOCUST</b> , 12-18 in.....		
	2 00	3 00
18-24 in.....		
	2 50	4 00
<b>HONEYSUCKLES</b>		
4 varieties 18-24 in.....		
	6 00	10 00
4 varieties 2-2½ ft. light..		
	7 00	12 00
<b>LILAC</b>		
Common Purple, 18-24 in.....		
	6 00	10 00
2-2½ ft. light.....		
	7 00	12 00
<b>SYRINGA</b>		
Grand, 18-24 in.....		
	7 00	12 00
2-2½ ft. light.....		
	8 00	13 00
<b>PRIVET</b>		
Amoor, 12-18 in.....		
	4 00	7 00
18-24 in.....		
	6 00	10 00
Regals, 12-18 in.....		
	5 00	8 00
18-24 in.....		
	7 00	12 00

	Each	Per 10	Per 100
<i>Polish</i> , 12-18 in.....	6 00	10 00	
18-24 in.....	8 00	13 00	
<b>SPIREA</b>			
<i>Van Houttei</i> , 18-24 in.....	6 00	10 00	
2-2½ ft. light.....	8 00	12 00	
<b>ROSA RUGOSA</b> , 18-24 in.....			
2 ft.....	10 00	18 00	
	12 00	20 00	

**ROSES.**

Strong 2 yr. field grown.			
	Each	Per 10	Per 100
All varieties described and not listed below .....			
	\$0 30	\$2 50	\$20 00
<b>Earl of Dufferin</b> , J. B. Clark, Frau Druschki, Am. Beauty, Clothilde Soupert, La France, Centifolia, Persian and Harrison Yellow.....			
	40	3 50	25 00
Tree or full standard.....			
	1 25		
<b>Chimbor Am. Beauty and Soleil de Or</b> .....			
	50	4 50	
<b>Hybrid Rosa Rugosa</b> , C. F. Meyer, Blanch de Coubert, Hansa, Sir Thos. Lipton.....			
	35	3 00	25 00
<b>Amelia Graveraux</b> , M. L. Villeminot, Nova Zembla.....			
	50	4 50	

**HARDY PERENNIALS.**

Field Grown.			
	Each	Per 10	Per 100
All varieties described and not in following list .....			
	\$0 15	\$1 25	\$10 00
<i>Aconite</i> .....			
	25	2 25	18 00
<i>Anchusa</i> .....			
	25	2 00	15 00
<i>Aquilegia Caerulea</i> .....			
	25	2 00	15 00
<i>Asclepias</i> .....			
	25	2 25	
<i>Astilbe</i> .....			
	25	2 25	
<i>Convallaria Pips</i> (Lily of the Valley) .....			
	10	80	6 00
<i>Convallaria Clumps</i> (Lily of the Valley) .....			
	25	2 00	
<i>Dielytra</i> .....			
	25	2 00	15 00
<i>Funkia</i> .....			
	25	2 25	18 00
<i>Gypsophila</i> .....			
	20	1 75	15 00
<i>Hardy Garden Pinks</i> .....			
	20	1 75	15 00
<i>Helenium</i> .....			
	25	2 25	18 00
<i>Iris Japan</i> .....			
	35	3 00	25 00
<i>Mallow Marvel</i> .....			
	35	3 00	25 00
<i>Poppy Oriental</i> .....			
	25	2 00	
<i>Poppy Nudicaule</i> .....			
	25	2 00	
<i>Rudbeckia Purpurea</i> .....			
	20	1 75	15 00
<i>Veronica Spicata</i> .....			
	25	2 25	
<i>Yucca</i> .....			
	20	1 75	
<b>PEONIES</b> . Good strong plants 3-5 eyes Varieties described and not in following list..			
	35	3 00	25 00
<i>Felix Crusse</i> .....			
	60	5 50	
<i>Japanese Single</i> .....			
	75	7 00	
<i>Rubra Superba</i> .....			
	50	4 50	
<i>Tenuffolia fl. pl.</i> .....			
	60	5 50	
<b>HARDY PHLOX</b> . Field grown plants .....			
	15	1 25	10 00
<b>ORNAMENTAL GRASSES.</b>			
<i>Eulalia</i> .....	20	1 75	
<i>Erianthus</i> .....	25	2 25	
<i>Phalaris</i> (ribbon grass).....	15	1 00	
<b>HARDY LILIES</b> . All strictly first-class.			
<i>Canadense</i> .....	15	1 25	
<i>Candidum</i> .....	20	1 75	
<i>Superbum</i> .....	15	1 25	
<i>Tigrinum Single</i> .....	12	1 00	
<i>Tigrinum Double</i> .....	15	1 25	
<i>Umbellatum</i> .....	15	1 25	
<i>Japan Lilies</i> .....	25	2 25	
<b>DAHLIAS</b> . Good roots.			
<i>Decorative</i> .....	25	2 25	
<i>Show and Fancy</i> .....	25	2 25	
<i>Pom Pom</i> , single and collarette	25	2 00	
<i>Mixed</i> .....	20	1 75	
<i>Peony Flowered</i> .....	50	4 50	
<i>Cactus</i> .....	30	2 50	
<b>GLADIOLI</b> . Except varieties listed below .....			
	15	1 25	10 00
<b>Baron Hulot</b> , Gil Blas, Geo. Paul, Peace, Princeps, Senator Volland .....			
	25	2 00	15 00
<i>Mixed</i> .....			
	10	75	5 00
<i>Fine Mixed</i> .....			
	07	50	3 00
<b>CANNAS</b> .			
Good assortment in Bronze and Green Leaf .....			
	12	1 00	7 00
<i>Musifolia Large Green Leaf</i> ....			
	10	75	5 00
<b>SPOTTED CALLA</b> .....			
	10	75	
<b>TUBE ROSE Pearl</b> .....			
	06	50	



# INDEX

<p>Abies ..... 27                      Acacia ..... 23                      Acer ..... 22-23                      Achillea ..... 43                      Aconite ..... 43                      Actinidia ..... 37                      Adam's Needle ..... 51                      Aesculus ..... 22                      Allanthus ..... 25                      Alder ..... 20                      Almond ..... 29                      Alnus ..... 20                      Althea ..... 29                      Ampelopsis ..... 37                      Anchusa ..... 43                      Anemone ..... 43                      Anthemis ..... 44                      Apples ..... 11-15                      Aquilegia ..... 44                      Arborvitae ..... 26                      Aristolochia ..... 37                      Arrowroot ..... 35                      Asclepias ..... 44                      Ash ..... 20                      Asparagus ..... 19                      Aster ..... 44                      Astilbe ..... 44                      Baby's Breath ..... 46                      Barberry ..... 29                      Basswood ..... 22                      Beech ..... 20                      Bell Flower ..... 45, 50                      Berberis ..... 29                      Bergamot ..... 50                      Retula ..... 20                      Birch ..... 20                      Bittersweet ..... 37                      Blackberries ..... 8                      Blanket Flower ..... 46                      Bleeding Heart ..... 45                      Bocconia ..... 44                      Boltonia ..... 45                      Boston Ivy ..... 37                      Bridal Wreath ..... 34                      Buckthorn ..... 29                      Burning Bush ..... 30                      Buttonwood ..... 25                      Calla ..... 59                      Calycanthus ..... 29                      Campanula ..... 45                      Cannas ..... 59                      Caragana ..... 29                      Cardinal Flower ..... 50                      Catalpa ..... 21                      Celastrus ..... 37                      Celtis ..... 21                      Cercis ..... 25                      Chamomile, False ..... 45                      Chelone ..... 45                      Cherries ..... 13, 16                      Chionanthus ..... 31                      Clematis ..... 37                      Clethra ..... 29                      Coffee Tree ..... 21                      Columbine ..... 44                      Cone-Flower ..... 51                      Convallaria ..... 45                      Coral Berry ..... 35                      Corchorus ..... 32                      Coreopsis ..... 45                      Cornus ..... 21, 30</p>	<p>Corylus ..... 31                      Crab ..... 21                      Crab Apples ..... 15                      Cranberry, H. Bush ..... 35                      Crataegus ..... 35                      Currants, ..... 4, 8-9                      Currant, Flowering ..... 30                      Cydonia ..... 33                      Dahlias ..... 55-56-57                      Daisy ..... 50                      Daisy, Shasta ..... 51                      Day Lily ..... 46                      Day Lily, Yellow ..... 49                      Delphinium ..... 45                      Deutzia ..... 30                      Dewberry ..... 8                      Dianthus ..... 46                      Dicentra ..... 45                      Dielytra ..... 45                      Diervilla ..... 36                      Digitalis ..... 45                      Dogwood ..... 21, 30                      Dutchman's Pipe ..... 37                      Elaeagnus ..... 30                      Elder ..... 30                      Elm ..... 21                      Eriogonum ..... 54                      Eriogonum ..... 54                      Euponymus ..... 30                      Eupatorium ..... 46                      Evergreens ..... 26-27                      Pagus ..... 20                      False Chamomile ..... 45                      False Dragon Head ..... 50                      Filbert ..... 31                      Fir ..... 27                      Fleur de Lis ..... 49                      Forsythia ..... 31                      Foxglove ..... 45                      Fraxinus ..... 20                      Fringe Tree ..... 31                      Fruits, Small ..... 2-10                      Fruits, Tree ..... 11-18                      Funeraria ..... 60                      Funkia ..... 46                      Gaillardia ..... 46                      Ginkgo ..... 25                      Gladiol ..... 58-59                      Glehdschia ..... 22                      Goat's Beard ..... 44                      Golden Bell ..... 31                      Gooseberries ..... 9                      Grapes ..... 10                      Grasses, Ornamental ..... 54                      Gymnocladus ..... 21                      Gypsophila ..... 46                      Hackberry ..... 21                      Hamamelis ..... 36                      Hazel ..... 31                      Helianthus ..... 46                      Helianthus ..... 49                      Hemerocallis ..... 49                      Hibiscus ..... 29                      Hippophae ..... 31                      Hollyhock ..... 49                      Honey Locust ..... 22                      Honeysuckle ..... 33                      Honeysuckle, Bush ..... 31                      Horse-Chestnut ..... 22                      Horse Radish ..... 18</p>	<p>Hydrangea ..... 31                      Indian Currant ..... 35                      Insecticides ..... 60                      Iris ..... 49-50                      Ivy ..... 37                      Judas Tree ..... 25                      Juniper ..... 27                      Juniperus ..... 27                      Kerria ..... 32-33                      Lamp Flower ..... 50                      Larch ..... 22                      Larix ..... 22                      Larkspur ..... 45                      Lemon Lily ..... 49                      Liatris ..... 30                      Ligustrum ..... 33                      Lilac ..... 32, 43                      Lilies ..... 64                      Lily-of-the-Valley ..... 45                      Linden ..... 22                      Lobelia ..... 50                      Lonicera ..... 31, 33                      Lychnis ..... 50                      Lycium ..... 38                      Maidenhair Tree ..... 25                      Mallow Marvel ..... 50                      Maple ..... 22-23                      Matrimony Vine ..... 33                      Meadow Sweet ..... 34                      Michaelmas Daisy ..... 44                      Mock Orange ..... 50                      Monarda ..... 50                      Monkshood ..... 43                      Morus ..... 24                      Moss Locust ..... 23                      Mountain Ash ..... 24                      Mulberry ..... 24                      Myrtle ..... 38                      Nettle Tree ..... 21                      Nine Bark ..... 34                      Nut Trees ..... 18                      Oak ..... 24                      Oleaster ..... 30                      Pampas Grass ..... 54                      Papaver ..... 50                      Peaches ..... 15                      Pears ..... 14, 13                      Pea Tree ..... 29                      Peonies ..... 48, 52                      Perennials ..... 43-54                      Periwinkle ..... 33                      Phalaris ..... 54                      Philadelphus ..... 33                      Phlox ..... 53, 57                      Physostegia ..... 50                      Pie Plant ..... 18                      Pine ..... 27                      Pinks, Hardy ..... 46                      Pinus ..... 27                      Plane Tree ..... 25                      Plantain Lily ..... 46                      Platanus ..... 25                      Platycodon ..... 50                      Plums ..... 14, 16-17                      Plum, Flowering ..... 33                      Poplar ..... 24                      Poppy ..... 50                      Populus ..... 24                      Privet ..... 33, 47</p>	<p>Prunus ..... 33                      Pyrethrum ..... 50                      Pyrus ..... 21                      Quercus ..... 24                      Quince ..... 33                      Raspberries ..... 4, 6-7                      Red Bud ..... 25                      Rhamnus ..... 29                      Rhodotypos ..... 33                      Rhubarb ..... 18                      Rhus ..... 35                      Ribbon Grass ..... 64                      Ribes ..... 30                      Robinia ..... 28                      Rose of Sharon ..... 29                      Roses ..... 39-42, 57                      Rudbeckia ..... 51                      Sage ..... 51                      Salisburia ..... 25                      Salix ..... 25                      Salvia ..... 51                      Sambucus ..... 30                      Scabiosa ..... 51                      Sea Buckthorn ..... 31                      Sedum ..... 51                      Shasta Daisy ..... 51                      Sheepberry ..... 35                      Shrubs ..... 28-36                      Sneezewort ..... 46                      Snowball ..... 35                      Snowberry ..... 35                      Sorbus ..... 24                      Spanish Bayonet ..... 51                      Speedwell ..... 51                      Spindle Tree ..... 30                      Spirea ..... 34, 44                      Spraying ..... 60                      Spruce ..... 27, 47                      Strawberries ..... 2-5                      Strawberry Tree ..... 30                      Sumac ..... 35                      Sunflower ..... 49                      Sweet Pepper Bush ..... 29                      Sweet Scented Shrub ..... 29                      Sycamore ..... 25                      Symphoricarpos ..... 35                      Syringa ..... 32-33                      Tamarix ..... 35                      Tecoma ..... 33                      Thorn ..... 25                      Thuja ..... 26                      Tilia ..... 22                      Trees, Ornamental ..... 19-25                      Tree of Heaven ..... 25                      Trumpet Flower ..... 33                      Tuberosa ..... 69                      Ulmus ..... 21                      Veronica ..... 51                      Viburnum ..... 25                      Vinca ..... 33                      Vines ..... 37-38                      Virginia Creeper ..... 37                      Wahoo ..... 30                      Weigela ..... 36                      White Kerria ..... 33                      Willow ..... 25                      Wind Flower ..... 43                      Wistaria ..... 38                      Witch Hazel ..... 36                      Yucca ..... 51</p>
--	---	--	---

## Our Landscape Department

If you plan planting the grounds around a new home or rearranging an older place, you cannot afford to commence without some definite plan.

Our Landscape Department is at your service. We will advise with you as to what is most suitable for your locality, draw a plan of your grounds, and make you a blue print if you desire. The charge for this work is governed by the time we have to use in making the plan and blue print.

We have a booklet called "Beauty Spots" showing places we have planned and planted. We should be pleased to send you one if you are interested.

We can supply Dutch bulbs, such as Tulips, Hyacinths, Narcissus, etc., in their season. Write for prices, giving list of what you want.

Coe, Converse & Edwards Co., Fort Atkinson, Wis.

Arkansaw, Wisconsin.

Gentlemen:—I want three or four thousand good apple trees, 6 to 7 ft. high, 3/4 inch and over six inches from the ground when planted. I got a hundred from you eight or ten years ago. Sold \$240.00 worth this year. Give me your best prices.

Yours truly,

